This is an amendment to 20.6.4 NMAC, Sections 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 97, 103, 108, 112, 115, 116, 126, 128, 140, 204, 206, 207, 208, 209, 215, 220, 231, 307, 309, 311, 312, 318, 405, 408, 900 and 901, effective 4/23/2022.

#### **20.6.4.6 OBJECTIVE:**

- **A.** The purpose of this part is to establish water quality standards that consist of the designated use or uses of surface waters of the state, the water quality criteria necessary to protect the use or uses and an antidegradation policy.
- **B.** The state of New Mexico is required under the New Mexico Water Quality Act (Subsection C of Section 74-6-4 NMSA 1978) and the federal Clean Water Act, as amended (33 U.S.C. Section 1251 *et seq.*) to adopt water quality standards that protect the public health or welfare, enhance the quality of water and are consistent with and serve the purposes of the New Mexico Water Quality Act and the federal Clean Water Act. It is the objective of the federal Clean Water Act to restore and maintain the chemical, physical and biological integrity of the nation's waters, including those in New Mexico. This part is consistent with Section 101(a)(2) of the federal Clean Water Act, which declares that it is the national goal that wherever attainable, an interim goal of water quality that provides for the protection and propagation of fish, shellfish and wildlife and provides for recreation in and on the water be achieved by July 1, 1983. Agricultural, municipal, domestic and industrial water supply are other essential uses of New Mexico's surface water; however, water contaminants resulting from these activities will not be permitted to lower the quality of surface waters of the state below that required for protection and propagation of fish, shellfish and wildlife and recreation in and on the water, where practicable.
- **C.** Pursuant to Subsection A of Section 74-6-12 NMSA 1978, this part does not grant to the water quality control commission or to any other entity the power to take away or modify property rights in water.
- D. These surface water quality standards serve to respond to the inherent threats of climate change and provide resiliency for the continued protection and enhancement of water quality.

  [20.6.4.6 NMAC Rp 20 NMAC 6.1.1006, 10/12/2000; A, 5/23/2005; A, 4/23/2022]
- **20.6.4.7 DEFINITIONS:** Terms defined in the New Mexico Water Quality Act, but not defined in this part will have the meaning given in the Water Quality Act.
  - A. Terms beginning with numerals or the letter "A," and abbreviations for units.
- (1) "4Q3" means the critical low flow as determined by the minimum average flow over four consecutive days that occurs with a frequency of once in three years.
- [(1)] (2) "4T3 temperature" means the temperature not to be exceeded for four or more consecutive hours in a 24-hour period on more than three consecutive days.
- [(2)] (3) "6T3 temperature" means the temperature not to be exceeded for six or more consecutive hours in a 24-hour period on more than three consecutive days.
  - [(3)] (4) Abbreviations used to indicate units are defined as follows:
- (a) "cfu/100 mL" means colony-forming units per 100 milliliters; the results for *E. coli* may be reported as either colony forming units (CFU) or the most probable number (MPN), depending on the analytical method used;
  - **(b)** "cfs" means cubic feet per second;
- (c) " $\mu$ g/L" means micrograms per liter, equivalent to parts per billion when the specific gravity of the solution equals 1.0;
  - (d) " $\mu$ S/cm" means microsiemens per centimeter; one  $\mu$ S/cm is equal to one

μmho/cm;

- (e) "mg/kg" means milligrams per kilogram, equivalent to parts per million;
- (f) "mg/L" means milligrams per liter, equivalent to parts per million when the specific gravity of the solution equals 1.0;
- (g) "MPN/100 mL" means most probable number per 100 milliliters; the results for *E. coli* may be reported as either CFU or MPN, depending on the analytical method used;
  - (h) "NTU" means nephelometric turbidity unit;
  - (i) "pCi/L" means picocuries per liter;
  - (j) "pH" means the measure of the acidity or alkalinity and is expressed in standard

units (su).

- [(4)] (5) "Acute toxicity" means toxicity involving a stimulus severe enough to induce a response in 96 hours of exposure or less. Acute toxicity is not always measured in terms of lethality, but may include other toxic effects that occur within a short time period.
- [(5)] (6) "Adjusted gross alpha" means the total radioactivity due to alpha particle emission as inferred from measurements on a dry sample, including radium-226, but excluding radon-222 and uranium. Also excluded are source, special nuclear and by-product material as defined by the Atomic Energy Act of 1954.
- [(6)] (7) "Aquatic life" means any plant or animal life that uses surface water as primary habitat for at least a portion of its life cycle, but does not include avian or mammalian species.
- [(7)] (8) "Attainable <u>Use</u>" means <u>a use that is</u> achievable by the imposition of effluent limits required under sections 301(b) and 306 of the <u>federal</u> Clean Water Act and implementation of cost-effective and reasonable best management practices for nonpoint source control. <u>An attainable use may or may not have criteria as stringent as the criteria for the designated use.</u>

## B. Terms beginning with the letter "B".

#### (1) "Best management practices" or "BMPs":

- (a) for national pollutant discharge elimination system (NPDES) permitting purposes means schedules of activities, prohibitions of practices, maintenance procedures and other management practices to prevent or reduce the pollution of "waters of the United States;" BMPs also include treatment requirements, operating procedures and practices to control plant site runoff, spillage or leaks, sludge or waste disposal or drainage from raw material storage; or
- (b) for nonpoint source pollution control purposes means methods, measures or practices selected by an agency to meet its nonpoint source control needs; BMPs include but are not limited to structural and nonstructural controls and operation and maintenance procedures; BMPS can be applied before, during and after pollution-producing activities to reduce or eliminate the introduction of pollutants into receiving waters; BMPs for nonpoint source pollution control purposes shall not be mandatory except as required by state or federal law.
- (2) "Bioaccumulation" refers to the uptake and retention of a substance by an organism from its surrounding medium and food.
- **"Bioaccumulation factor"** is the ratio of a substance's concentration in tissue versus its concentration in ambient water, in situations where the organism and the food chain are exposed.
- (4) "Biomonitoring" means the use of living organisms to test the suitability of effluents for discharge into receiving waters or to test the quality of surface waters of the state.

#### C. Terms beginning with the letter "C".

- (1) "CAS number" means an assigned number by chemical abstract service (CAS) to identify a substance. CAS numbers index information published in chemical abstracts by the American chemical society.
- (2) "Chronic toxicity" means toxicity involving a stimulus that lingers or continues for a relatively long period relative to the life span of an organism. Chronic effects include, but are not limited to, lethality, growth impairment, behavioral modifications, disease and reduced reproduction.
- (3) "Classified water of the state" means a surface water of the state, or reach of a surface water of the state, for which the commission has adopted a segment description and has designated a use or uses and applicable water quality criteria in 20.6.4.101 through 20.6.4.899 NMAC.
- (4) "Climate change" refers to any significant change in the measures of climate lasting for an extended period of time, typically decades or longer, and includes major changes in temperature, precipitation, wind patterns or other weather-related effects.
- [(4)] (5) "Closed basin" is a basin where topography prevents the surface outflow of water and water escapes by evapotranspiration or percolation.
- [(5)] (6) "Coldwater" in reference to an aquatic life use means a surface water of the state where the water temperature and other characteristics are suitable for the support or propagation or both of coldwater aquatic life.
- [(6)] (7) "Coolwater" in reference to an aquatic life use means the water temperature and other characteristics are suitable for the support or propagation of aquatic life whose physiological tolerances are intermediate between and may overlap those of warm and coldwater aquatic life.
  - [<del>(7)</del>] **(8) "Commission"** means the New Mexico water quality control commission.
- [(8)]  $\overline{(9)}$  "Criteria" are elements of state water quality standards, expressed as constituent concentrations, levels or narrative statements, representing a quality of water that supports a use. When criteria are met, water quality will protect the designated use.

- D. Terms beginning with the letter "D".
- (1) "DDT and derivatives" means 4,4'-DDT (CAS number 50293), 4,4'-DDE (CAS number 72559) and 4,4'-DDD (CAS number 72548).
  - (2) "Department" means the New Mexico environment department.
- (3) "Designated use" means a use specified in 20.6.4.97 through 20.6.4.899 NMAC for a surface water of the state whether or not it is being attained.
- **(4) "Dissolved"** refers to the fraction of a constituent of a water sample that passes through a 0.45-micrometer pore-size filter. The "dissolved" fraction is also termed "filterable residue."
- (5) "Domestic water supply" means a surface water of the state that could be used for drinking or culinary purposes after disinfection.
  - E. Terms beginning with the letter "E".
    - (1) "E. coli" means the bacteria Escherichia coli.
- (2) "Emerging contaminants" refer to water contaminants that may cause significant ecological or human health effects at low concentrations. Emerging contaminants are generally chemical compounds recognized as having deleterious effects at environmental concentrations whose negative impacts have not been fully quantified and may not have regulatory numeric criteria.
- [(2)] (3) "Ephemeral" when used to describe a surface water of the state means the water body contains water briefly only in direct response to precipitation; its bed is always above the water table of the adjacent region.
- [(3)] (4) "Existing use" means a use actually attained in a surface water of the state on or after November 28, 1975, whether or not it is a designated use.
  - F. Terms beginning with the letter "F".
- (1) "Fish culture" means production of coldwater or warmwater fishes in a hatchery or rearing station.
- (2) "Fish early life stages" means the egg and larval stages of development of fish ending when the fish has its full complement of fin rays and loses larval characteristics.
  - G. Terms beginning with the letter "G" [RESERVED]
  - H. Terms beginning with the letter "H".
- (1) "Hardness" means the measure of dissolved calcium and magnesium salts in water expressed in units of dissolved calcium carbonate (CaCO3) concentration unless otherwise noted.
- (2) "Harmonic mean flow" is the number of daily flow measurements divided by the sum of the reciprocals of the flows; that is, it is the reciprocal of the arithmetic mean of reciprocal daily flow measurements consistent with the equations in Paragraph (1) of Subsection B of 20.6.4.11 NMAC.
- [(1)] (3) "High quality coldwater" in reference to an aquatic life use means a perennial surface water of the state in a minimally disturbed condition with considerable aesthetic value and superior coldwater aquatic life habitat. A surface water of the state to be so categorized must have water quality, stream bed characteristics and other attributes of habitat sufficient to protect and maintain a propagating coldwater aquatic life population.
- [(2)] (4) "Human health-organism only" means the health of humans who ingest fish or other aquatic organisms from waters that contain pollutants.
  - I. Terms beginning with the letter "I".
- (1) "Industrial water supply" means the use or storage of water by a facility for process operations unless the water is supplied by a public water system. Industrial water supply does not include irrigation or other agricultural uses.
- (2) "Intermittent" when used to describe a surface water of the state means the water body contains water for extended periods only at certain times of the year, such as when it receives seasonal flow from springs or melting snow.
- (3) "Interstate waters" means all surface waters of the state that cross or form a part of the border between states.
  - **"Intrastate waters"** means all surface waters of the state that are not interstate waters.
- (5) "Irrigation" means application of water to land areas to supply the water needs of beneficial plants.
  - **"Irrigation storage"** means storage of water to supply the needs of beneficial plants.
  - J. Terms beginning with the letter "J". [RESERVED]
  - K. Terms beginning with the letter "K". [RESERVED]
  - L. Terms beginning with the letter "L".

- (1) "LC-50" means the concentration of a substance that is lethal to fifty percent of the test organisms within a defined time period. The length of the time period, which may vary from 24 hours to one week or more, depends on the test method selected to yield the information desired.
- (2) "Limited aquatic life" as a designated use, means the surface water is capable of supporting only a limited community of aquatic life. This subcategory includes surface waters that support aquatic species selectively adapted to take advantage of naturally occurring rapid environmental changes, [ephemeral or intermittent water,] low-flow, high turbidity, fluctuating temperature, low dissolved oxygen content or unique chemical characteristics.
- (3) "Livestock watering" means the use of a surface water of the state as a supply of water for consumption by livestock.

#### M. Terms beginning with the letter "M".

- (1) "Marginal coldwater" in reference to an aquatic life use means that natural [intermittent or low flows, or other natural] habitat conditions severely limit maintenance of a coldwater aquatic life population during at least some portion of the year or historical data indicate that the temperature [in] of the surface water of the state may exceed that which could continually support aquatic life adapted to coldwater [25°C (77°F)].
- (2) "Marginal warmwater" in reference to an aquatic life use means natural intermittent or low flow or other natural habitat conditions severely limit the ability of the surface water of the state to sustain a natural aquatic life population on a continuous annual basis; or historical data indicate that natural water temperature routinely exceeds 32.2°C (90°F).
- (3) "Maximum temperature" means the instantaneous temperature not to be exceeded at any time.
- (4) "Minimum quantification level" means the minimum quantification level for a constituent determined by official published documents of the United States environmental protection agency.

#### N. Terms beginning with the letter "N".

- (1) "Natural background" means that portion of a pollutant load in a surface water resulting only from non-anthropogenic sources. Natural background does not include impacts resulting from historic or existing human activities.
- (2) "Natural causes" means those causal agents that would affect water quality and the effect is not caused by human activity but is due to naturally occurring conditions.
- (3) "Nonpoint source" means any source of pollutants not regulated as a point source that degrades the quality or adversely affects the biological, chemical or physical integrity of surface waters of the state.

#### O. Terms beginning with the letter "O".

- (1) "Organoleptic" means the capability to produce a detectable sensory stimulus such as odor or taste.
- (2) "Oversight agency" means a state or federal agency, such as the United States department of agriculture forest service, that is responsible for land use or water quality management decisions affecting nonpoint source discharges where an outstanding national resource water is located.

## P. Terms beginning with the letter "P".

- (1) "Playa" means a shallow closed basin lake typically found in the high plains and deserts.
- (2) "Perennial" when used to describe a surface water of the state means the water body typically contains water throughout the year and rarely experiences dry periods.
- (3) "Persistent toxic pollutants" means pollutants, generally organic, that are resistant to environmental degradation through chemical, biological and photolytic processes and can bioaccumulate in organisms, causing adverse impacts on human health and aquatic life.
- [(3)] (4) "Point source" means any discernible, confined and discrete conveyance from which pollutants are or may be discharged into a surface water of the state, but does not include return flows from irrigated agriculture.
- [(4)] (5) "Practicable" means that which may be done, practiced or accomplished; that which is performable, feasible, possible.
- [(5)] (6) "Primary contact" means any recreational or other water use in which there is prolonged and intimate human contact with the water, such as swimming and water skiing, involving considerable risk of ingesting water in quantities sufficient to pose a significant health hazard. Primary contact also means any use of surface waters of the state for cultural, religious or ceremonial purposes in which there is intimate human contact with the water, including but not limited to ingestion or immersion, that could pose a significant health hazard.

[(6)] (7) "Public water supply" means the use or storage of water to supply a public water system as defined by New Mexico's Drinking Water Regulations, 20.7.10 NMAC. Water provided by a public water system may need to undergo treatment to achieve drinking water quality.

- Q. Terms beginning with the letter "Q". [RESERVED]
- R. Terms beginning with the letter "R". [RESERVED]
- S. Terms beginning with the letter "S".
- (1) "Secondary contact" means any recreational or other water use in which human contact with the water may occur and in which the probability of ingesting appreciable quantities of water is minimal, such as fishing, wading, commercial and recreational boating and any limited seasonal contact.
- (2) "Segment" means a classified water of the state described in 20.6.4.101 through 20.6.4.899 NMAC. The water within a segment should have the same uses, similar hydrologic characteristics or flow regimes, and natural physical, chemical and biological characteristics and exhibit similar reactions to external stresses, such as the discharge of pollutants.
- (3) "Specific conductance" is a measure of the ability of a water solution to conduct an electrical current.
  - (4) "State" means the state of New Mexico.
  - (5) "Surface water(s) of the state"
- (a) means all surface waters situated wholly or partly within or bordering upon the state, including the following:

```
lakes [<del>,</del>] ;
<u>(i)</u>
(ii)
          rivers [,];
(iii)
          streams (including intermittent <u>and ephemeral</u> streams) [-] ;
(iv)
          mudflats [,];
          sandflats [-,];
(v)
(vi)
          wetlands [ - ];
          sloughs [,];
(vii)
          prairie potholes [-];
(viii)
(ix)
          wet meadows [ - ];
          playa lakes [,];
(x)
          reservoirs [,]; [or] and
<u>(xi)</u>
          natural ponds.
(xii)
```

(b) [Surface waters of the state] also means all tributaries of such waters, including adjacent wetlands, any manmade bodies of water that were originally created in surface waters of the state or resulted in the impoundment of surface waters of the state, and any "waters of the United States" as defined under the Clean Water Act that are not included in the preceding description.

(c) [Surface waters of the state] does not include private waters that do not combine with other surface or subsurface water or any water under tribal regulatory jurisdiction pursuant to Section 518 of the Clean Water Act. Waste treatment systems, including treatment ponds or lagoons designed and actively used to meet requirements of the Clean Water Act (other than cooling ponds as defined in 40 CFR Part 423.11(m) that also meet the criteria of this definition), are not surface waters of the state, unless they were originally created in surface waters of the state or resulted in the impoundment of surface waters of the state.

- T. Terms beginning with the letter "T".
  - (1) "TDS" means total dissolved solids, also termed "total filterable residue."
- (2) "Toxic pollutant" means those pollutants, or combination of pollutants, including disease-causing agents, that after discharge and upon exposure, ingestion, inhalation or assimilation into any organism, either directly from the environment or indirectly by ingestion through food chains, will cause death, shortened life spans, disease, adverse behavioral changes, reproductive or physiological impairment or physical deformations in such organisms or their offspring.
- (3) "Tributary" means a perennial, intermittent or ephemeral waterbody that flows into a larger waterbody, and includes a tributary of a tributary.
- (4) "Turbidity" is an expression of the optical property in water that causes incident light to be scattered or absorbed rather than transmitted in straight lines.
  - U. Terms beginning with the letter "U". [RESERVED]
- (1) "Unclassified waters of the state" means those surface waters of the state not identified in 20.6.4.101 through 20.6.4.899 NMAC.

- (2) "Use attainability analysis" means a scientific study conducted for the purpose of assessing the factors affecting the attainment of a use.
  - V. Terms beginning with the letter "V" [RESERVED]
  - W. Terms beginning with the letter "W".
- (1) "Warmwater" with reference to an aquatic life use means that water temperature and other characteristics are suitable for the support or propagation or both of warmwater aquatic life.
- (2) "Water contaminant" means any substance that could alter if discharged or spilled the physical, chemical, biological or radiological qualities of water. "Water contaminant" does not mean source, special nuclear or by-product material as defined by the Atomic Energy Act of 1954, but may include all other radioactive materials, including but not limited to radium and accelerator-produced isotopes.
- (3) "Water pollutant" means a water contaminant in such quantity and of such duration as may with reasonable probability injure human health, animal or plant life or property, or to unreasonably interfere with the public welfare or the use of property.
- (4) "Wetlands" means those areas that are inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions in New Mexico. Wetlands that are constructed outside of a surface water of the state for the purpose of providing wastewater treatment and that do not impound a surface water of the state are not included in this definition.
- (5) "Wildlife habitat" means a surface water of the state used by plants and animals not considered as pathogens, vectors for pathogens or intermediate hosts for pathogens for humans or domesticated livestock and plants.
- X. Terms beginning with the letters "X" through "Z". [RESERVED] [20.6.4.7 NMAC Rp 20 NMAC 6.1.1007, 10/12/2000; A, 7/19/2001; A, 5/23/2005; A, 7/17/2005; A, 8/1/2007; A, 12/1/2010; A, 1/14/2011; A, 3/2/2017; A, 4/23/2022]

#### 20.6.4.8 ANTIDEGRADATION POLICY AND IMPLEMENTATION PLAN:

- A. Antidegradation Policy: This antidegradation policy applies to all surface waters of the state.

  (1) Existing [instream water-] uses, as defined in Paragraph (4) of Subsection E of 20.6.4.7

  NMAC, and the level of water quality necessary to protect the existing uses shall be maintained and protected in all surface waters of the state.
- (2) Where the quality of a surface water of the state exceeds levels necessary to support the propagation of fish, shellfish, and wildlife, and recreation in and on the water, that quality shall be maintained and protected unless the commission finds, after full satisfaction of the intergovernmental coordination and public participation provisions of the state's continuing planning process, that allowing lower water quality is necessary to accommodate important economic and social development in the area in which the water is located. In allowing such degradation or lower water quality, the state shall assure water quality adequate to protect existing uses fully. Further, the state shall assure that there shall be achieved the highest statutory and regulatory requirements for all new and existing point sources and all cost-effective and reasonable BMPs for nonpoint source control. Additionally, the state shall encourage the use of watershed planning as a further means to protect surface waters of the state.
- (3) No degradation shall be allowed in waters designated by the commission as outstanding national resource waters (ONRWs), except as provided in Subparagraphs (a) through (e) of this paragraph and in Paragraph (4) of this Subsection A.
- (a) After providing a minimum 30-day public review and comment period, the commission determines that allowing temporary and short-term degradation of water quality is necessary to accommodate public health or safety activities in the area in which the ONRW is located. Examples of public health or safety activities include but are not limited to replacement or repair of a water or sewer pipeline or a roadway bridge. In making its decision, the commission shall consider whether the activity will interfere with activities implemented to restore or maintain the chemical, physical or biological integrity of the water. In approving the activity, the commission shall require that:
  - (i) the degradation shall be limited to the shortest possible time and shall

not exceed six months;

(ii) the degradation shall be minimized and controlled by best management practices or in accordance with permit requirements as appropriate; all practical means of minimizing the duration, magnitude, frequency and cumulative effects of such degradation shall be utilized;

- (iii) the degradation shall not result in water quality lower than necessary to protect any existing use in the ONRW; and
- (iv) the degradation shall not alter the essential character or special use that makes the water an [ORNW] ONRW.
- (b) Prior to the commission making a determination, the department or appropriate oversight agency shall provide a written recommendation to the commission. If the commission approves the activity, the department or appropriate oversight agency shall oversee implementation of the activity.
- (c) Where an emergency response action that may result in temporary and short-term degradation to an ONRW is necessary to mitigate an immediate threat to public health or safety, the emergency response action may proceed prior to providing notification required by Subparagraph (a) of this paragraph in accordance with the following:
- (i) only actions that mitigate an immediate threat to public health or safety may be undertaken pursuant to this provision; non-emergency portions of the action shall comply with the requirements of Subparagraph (a) of this paragraph;
- $(ii) \qquad \text{the discharger shall make best efforts to comply with requirements (i) } \\ \text{through (iv) of Subparagraph (a) of this paragraph;}$
- (iii) the discharger shall notify the department of the emergency response action in writing within seven days of initiation of the action;
- (iv) within 30 days of initiation of the emergency response action, the discharger shall provide a summary of the action taken, including all actions taken to comply with requirements (i) through (iv) of Subparagraph (a) of this paragraph.
- (d) Preexisting land-use activities, including grazing, allowed by federal or state law prior to designation as an ONRW, and controlled by best management practices (BMPs), shall be allowed to continue so long as there are no new or increased discharges resulting from the activity after designation of the ONRW.
- (e) Acequia operation, maintenance, and repairs are not subject to new requirements because of ONRW designation. However, the use of BMPs to minimize or eliminate the introduction of pollutants into receiving waters is strongly encouraged.
- (4) This antidegradation policy does not prohibit activities that may result in degradation in surface waters of the state when such activities will result in restoration or maintenance of the chemical, physical or biological integrity of the water.
- (a) For ONRWs, the department or appropriate oversight agency shall review on a case-by-case basis discharges that may result in degradation from restoration or maintenance activities, and may approve such activities in accordance with the following:
  - (i) the degradation shall be limited to the shortest possible time;
- (ii) the degradation shall be minimized and controlled by best management practices or in accordance with permit requirements as appropriate, and all practical means of minimizing the duration, magnitude, frequency and cumulative effects of such degradation shall be utilized;
- (iii) the degradation shall not result in water quality lower than necessary to protect any existing use of the surface water; and
- (iv) the degradation shall not alter the essential character or special use that makes the water an [ORNW] ONRW.
- **(b)** For surface waters of the state other than ONRWs, the department shall review on a case-by-case basis discharges that may result in degradation from restoration or maintenance activities, and may approve such activities in accordance with the following:
  - (i) the degradation shall be limited to the shortest possible time;
- (ii) the degradation shall be minimized and controlled by best management practices or in accordance with permit requirements as appropriate, and all practical means of minimizing the duration, magnitude, frequency and cumulative effects of such degradation shall be utilized; and
- (iii) the degradation shall not result in water quality lower than necessary to protect any existing use of the surface water.
- (5) In those cases where potential water quality impairment associated with a thermal discharge is involved, this antidegradation policy and implementing method shall be consistent with Section 316 of the federal Clean Water Act.
- (6) In implementing this section, the commission through the appropriate regional offices of the United States environmental protection agency will keep the administrator advised and provided with such

information concerning the surface waters of the state as he or she will need to discharge his or her responsibilities under the federal Clean Water Act.

- **B.** Implementation Plan: The department, acting under authority delegated by the commission, implements the water quality standards, including the antidegradation policy, by describing specific methods and procedures in the continuing planning process and by establishing and maintaining controls on the discharge of pollutants to surface waters of the state. The steps summarized in the following paragraphs, which may not all be applicable in every water pollution control action, list the implementation activities of the department. These implementation activities are supplemented by detailed antidegradation review procedures developed under the state's continuing planning process. The department:
- (1) obtains information pertinent to the impact of the effluent on the receiving water and advises the prospective discharger of requirements for obtaining a permit to discharge;
- (2) reviews the adequacy of existing data and conducts a water quality survey of the receiving water in accordance with an annually reviewed, ranked priority list of surface waters of the state requiring total maximum daily loads pursuant to Section 303(d) of the federal Clean Water Act;
- (3) assesses the probable impact of the effluent on the receiving water relative to its attainable or designated uses and numeric and narrative criteria;
- (4) requires the highest and best degree of wastewater treatment practicable and commensurate with protecting and maintaining the designated uses and existing water quality of surface waters of the state;
- (5) develops water quality based effluent limitations and comments on technology based effluent limitations, as appropriate, for inclusion in any federal permit issued to a discharger pursuant to Section 402 of the federal Clean Water Act;
- (6) requires that these effluent limitations be included in any such permit as a condition for state certification pursuant to Section 401 of the federal Clean Water Act;
- (7) coordinates its water pollution control activities with other constituent agencies of the commission, and with local, state and federal agencies, as appropriate;
- (8) develops and pursues inspection and enforcement programs to ensure that dischargers comply with state regulations and standards, and complements EPA's enforcement of federal permits;
- (9) ensures that the provisions for public participation required by the New Mexico Water Quality Act and the federal Clean Water Act are followed;
- (10) provides continuing technical training for wastewater treatment facility operators through the utility operators training and certification programs;
- (11) provides funds to assist the construction of publicly owned wastewater treatment facilities through the wastewater construction program authorized by Section 601 of the federal Clean Water Act, and through funds appropriated by the New Mexico legislature;
- (12) conducts water quality surveillance of the surface waters of the state to assess the effectiveness of water pollution controls, determines whether water quality standards are being attained, and proposes amendments to improve water quality standards;
- (13) encourages, in conjunction with other state agencies, implementation of the best management practices set forth in the New Mexico statewide water quality management plan and the nonpoint source management program, such implementation shall not be mandatory except as provided by federal or state law;
- (14) evaluates the effectiveness of BMPs selected to prevent, reduce or abate sources of water pollutants;
- (15) develops procedures for assessing use attainment as required by 20.6.4.15 NMAC and establishing site-specific standards; and
- (16) develops list of surface waters of the state not attaining designated uses, pursuant to Sections 305(b) and 303(d) of the federal Clean Water Act.

[20.6.4.8 NMAC - Rp 20 NMAC 6.1.1101, 10/12/2000; A, 5/23/2005; A, 8/1/2007; A, 1/14/2011; A, 4/23/2022]

#### 20.6.4.9 OUTSTANDING NATIONAL RESOURCE WATERS:

A. Procedures for nominating an ONRW: Any person may nominate a surface water of the state for designation as an ONRW by filing a petition with the commission pursuant to [the guidelines for water quality control commission regulation hearings] 20.1.6 NMAC, Rulemaking Procedures - Water Quality Control Commission. A petition to designate a surface water of the state as an ONRW shall include:

- (1) a map of the surface water of the state, including the location and proposed upstream and downstream boundaries;
- (2) a written statement and evidence based on scientific principles in support of the nomination, including specific reference to one or more of the applicable ONRW criteria listed in Subsection B of this section;
- (3) water quality data including chemical, physical or biological parameters, if available, to establish a baseline condition for the proposed ONRW;
- a discussion of activities that might contribute to the reduction of water quality in the proposed ONRW;
- any additional evidence to substantiate such a designation, including a discussion of the economic impact of the designation on the local and regional economy within the state of New Mexico and the benefit to the state; and
- (6) affidavit of publication of notice of the petition in a newspaper of general circulation in the affected counties and in a newspaper of general statewide circulation.
- **B.** Criteria for ONRWs: A surface water of the state, or a portion of a surface water of the state, may be designated as an ONRW where the commission determines that the designation is beneficial to the state of New Mexico, and:
- (1) the water is a significant attribute of a state special trout water, national or state park, national or state monument, national or state wildlife refuge or designated wilderness area, or is part of a designated wild river under the federal Wild and Scenic Rivers Act; or
  - (2) the water has exceptional recreational or ecological significance; or
- (3) the existing water quality is equal to or better than the numeric criteria for protection of aquatic life and contact uses and the human health-organism only criteria, and the water has not been significantly modified by human activities in a manner that substantially detracts from its value as a natural resource.
- **C.** Pursuant to a petition filed under Subsection A of this section, the commission may classify a surface water of the state or a portion of a surface water of the state as an ONRW if the criteria set out in Subsection B of this section are met.
  - **D.** Waters classified as ONRWs: The following waters are classified as ONRWs:
- (1) Rio Santa Barbara, including the west, middle and east forks from their headwaters downstream to the boundary of the Pecos Wilderness; and
- (2) the waters within the United States forest service Valle Vidal special management unit including:
- (a) Rio Costilla, including Comanche, La Cueva, Fernandez, Chuckwagon, Little Costilla, Powderhouse, Holman, Gold, Grassy, LaBelle and Vidal creeks, from their headwaters downstream to the boundary of the United States forest service Valle Vidal special management unit;
- (b) Middle Ponil creek, including the waters of Greenwood Canyon, from their headwaters downstream to the boundary of the Elliott S. Barker wildlife management area;
  - (c) Shuree lakes;
- (d) North Ponil creek, including McCrystal and Seally Canyon creeks, from their headwaters downstream to the boundary of the United States forest service Valle Vidal special management unit; and
- (e) Leandro creek from its headwaters downstream to the boundary of the United States forest service Valle Vidal special management unit.
- (3) the named perennial surface waters of the state, identified in Subparagraph (a) below, located within United States department of agriculture forest service wilderness. Wilderness are those lands designated by the United States congress as wilderness pursuant to the Wilderness Act. Wilderness areas included in this designation are the Aldo Leopold wilderness, Apache Kid wilderness, Blue Range wilderness, Chama River Canyon wilderness, Cruces Basin wilderness, Dome wilderness, Gila wilderness, Latir Peak wilderness, Pecos wilderness, San Pedro Parks wilderness, Wheeler Peak wilderness, and White Mountain wilderness.
  - (a) The following waters are designated in the Rio Grande basin:
- (i) in the Aldo Leopold wilderness: Byers Run, Circle Seven creek, Flower canyon, Holden Prong, Indian canyon, Las Animas creek, Mud Spring canyon, North Fork Palomas creek, North Seco creek, Pretty canyon, Sids Prong, South Animas canyon, Victorio Park canyon, Water canyon;
  - (ii) in the Apache Kid wilderness Indian creek and Smith canyon;
  - (iii) in the Chama River Canyon wilderness: Chavez canyon, Ojitos canyon,

Rio Chama;

- (iv) in the Cruces Basin wilderness: Beaver creek, Cruces creek, Diablo creek, Escondido creek, Lobo creek, Osha creek;
  - (v) in the Dome wilderness: Capulin creek, Medio creek, Sanchez

canyon/creek;

- (vi) in the Latir Peak wilderness: Bull creek, Bull Creek lake, Heart lake, Lagunitas Fork, Lake Fork creek, Rito del Medio, Rito Primero, West Latir creek;
- (vii) in the Pecos wilderness: Agua Sarca, Hidden lake, Horseshoe lake (Alamitos), Jose Vigil lake, Nambe lake, Nat lake IV, No Fish lake, North Fork Rio Quemado, Rinconada, Rio Capulin, Rio de las Trampas (Trampas creek), Rio de Truchas, Rio Frijoles, Rio Medio, Rio Molino, Rio Nambe, Rio San Leonardo, Rito con Agua, Rito Gallina, Rito Jaroso, Rito Quemado, San Leonardo lake, Santa Fe lake, Santa Fe river, Serpent lake, South Fork Rio Quemado, Trampas lake (East), Trampas lake (West);
- (viii) in the San Pedro Parks wilderness: Agua Sarca, Cañon Madera, Cave creek, Cecilia Canyon creek, Clear creek (North SPP), Clear creek (South SPP), Corralitos creek, Dove creek, Jose Miguel creek, La Jara creek, Oso creek, Rio Capulin, Rio de las Vacas, Rio Gallina, Rio Puerco de Chama, Rito Anastacio East, Rito Anastacio West, Rito de las Palomas, Rito de las Perchas, Rito de los Pinos, Rito de los Utes, Rito Leche, Rito Redondo, Rito Resumidero, San Gregorio lake;
- (ix) in the Wheeler Peak wilderness: Black Copper canyon, East Fork Red river, Elk lake, Horseshoe lake, Lost lake, Sawmill creek, South Fork lake, South Fork Rio Hondo, Williams lake.
  - **(b)** The following waters are designated in the Pecos River basin:
- (i) in the Pecos wilderness: Albright creek, Bear creek, Beatty creek, Beaver creek, Carpenter creek, Cascade canyon, Cave creek, El Porvenir creek, Hollinger creek, Holy Ghost creek, Horsethief creek, Jack's creek, Jarosa canyon/creek, Johnson lake, Lake Katherine, Lost Bear lake, Noisy brook, Panchuela creek, Pecos Baldy lake, Pecos river, Rio Mora, Rio Valdez, Rito Azul, Rito de los Chimayosos, Rito de los Esteros, Rito del Oso, Rito del Padre, Rito las Trampas, Rito Maestas, Rito Oscuro, Rito Perro, Rito Sebadilloses, South Fork Bear creek, South Fork Rito Azul, Spirit lake, Stewart lake, Truchas lake (North), Truchas lake (South), Winsor creek;
- (ii) in the White Mountain wilderness: Argentina creek, Aspen creek, Bonito creek, Little Bonito creek, Mills canyon/creek, Rodamaker creek, South Fork Rio Bonito, Turkey canyon/creek.
  - (c) The following waters are designated in the Gila River basin:
- (i) in the Aldo Leopold wilderness: Aspen canyon, Black Canyon creek, Bonner canyon, Burnt canyon, Diamond creek, Falls canyon, Fisherman canyon, Running Water canyon, South Diamond creek;
- (ii) in the Gila wilderness: Apache creek, Black Canyon creek, Brush canyon, Canyon creek, Chicken Coop canyon, Clear creek, Cooper canyon, Cow creek, Cub creek, Diamond creek, East Fork Gila river, Gila river, Gilia creek, Indian creek, Iron creek, Langstroth canyon, Lilley canyon, Little creek, Little Turkey creek, Lookout canyon, McKenna creek, Middle Fork Gila river, Miller Spring canyon, Mogollon creek, Panther canyon, Prior creek, Rain creek, Raw Meat creek, Rocky canyon, Sacaton creek, Sapillo creek, Sheep Corral canyon, Skeleton canyon, Squaw creek, Sycamore canyon, Trail canyon, Trail creek, Trout creek, Turkey creek, Turkey Feather creek, Turnbo canyon, West Fork Gila river, West Fork Mogollon creek, White creek, Willow creek, Woodrow canyon.
- (d) The following waters are designated in the Canadian River basin: in the Pecos wilderness Daily creek, Johns canyon, Middle Fork Lake of Rio de la Casa, Middle Fork Rio de la Casa, North Fork Lake of Rio de la Casa, Rito de Gascon, Rito San Jose, Sapello river, South Fork Rio de la Casa, Sparks creek (Manuelitas creek).
  - (e) The following waters are designated in the San Francisco River basin:
    - (i) in the Blue Range wilderness: Pueblo creek;
- (ii) in the Gila wilderness: Big Dry creek, Lipsey canyon, Little Dry creek, Little Whitewater creek, South Fork Whitewater creek, Spider creek, Spruce creek, Whitewater creek.
- (f) The following waters are designated in the Mimbres Closed basin: in the Aldo Leopold wilderness Corral canyon, Mimbres river, North Fork Mimbres river, South Fork Mimbres river.
- (g) The following waters are designated in the Tularosa Closed basin: in the White Mountain wilderness Indian creek, Nogal Arroyo, Three Rivers.
- (h) The wetlands designated are identified on the *Maps and List of Wetlands Within United States Forest Service Wilderness Areas Designated as Outstanding National Resource Waters* published at the New Mexico state library and available on the department's website.

[20.6.4.9 NMAC - Rn, Subsections B, C and D of 20.6.4.8 NMAC, 5/23/2005; A, 5/23/2005; A, 7/17/2005; A, 2/16/2006; A, 12/1/2010; A, 1/14/2011; A, 4/23/2022]

## 20.6.4.10 REVIEW OF STANDARDS; NEED FOR ADDITIONAL STUDIES:

- **A.** Section 303(c)(1) of the federal Clean Water Act requires that the state hold public hearings at least once every three years for the purpose of reviewing water quality standards and proposing, as appropriate, necessary revisions to water quality standards.
- **B.** In accordance with 40 CFR 131.10(i), when an existing use, as defined under 20.6.4.7 NMAC, is higher quality water than prescribed by the designated use and supporting evidence demonstrates the presence of that use, the designated use shall be amended accordingly to have criteria no less stringent than the existing use.
- [B-] C. It is recognized that, in some cases, numeric criteria [have been adopted that reflect use designations rather than existing conditions of surface waters of the state.] for a particular designated use may not adequately reflect the local conditions or the aquatic communities adapted to those localized conditions. In these cases, a water quality criterion may be modified to reflect the natural condition of a specific waterbody. The modification of the criterion does not change the designated use; the modification only changes the criterion for that specific waterbody. [Narrative criteria are required for many constituents because accurate data on background levels are lacking. More intensive water quality monitoring may identify surface waters of the state where existing quality is considerably better than the established criteria.] When justified by sufficient data and information, a numeric [the] water quality [criteria] criterion [will] may be adopted or modified in accordance with Subsection F of 20.6.4.10 and Subsection G of 20.6.4.10 NMAC, to protect the attainable uses of the waterbody.
- **D.** The removal or amendment of a designated use to a designated use with less stringent criteria can only be done through a use attainability analysis in accordance with 20.6.4.15 NMAC.
- [C<sub>1</sub>] <u>E</u>. It is also recognized that contributions of water contaminants by diffuse nonpoint sources of water pollution may make attainment of certain criteria difficult. Revision of these criteria may be necessary as new information is obtained on nonpoint sources and other problems unique to semi-arid regions.

#### [D.] F. Site-specific criteria.

- (1) The commission may adopt site-specific numeric criteria applicable to all or part of a surface water of the state based on relevant site-specific conditions such as:
- (a) actual species at a site are more or less sensitive than those used in the national criteria data set;
- (b) physical or chemical characteristics at a site such as pH or hardness alter the biological availability and/or toxicity of the chemical;
- (c) physical, biological or chemical factors alter the bioaccumulation potential of a chemical:
- (d) the concentration resulting from natural background exceeds numeric criteria for aquatic life, wildlife habitat or other uses if consistent with Subsection [E] G of 20.6.4.10 NMAC; or
- (e) other factors or combination of factors that upon review of the commission may warrant modification of the default criteria, subject to EPA review and approval.
- (2) Site-specific criteria must fully protect the designated use to which they apply. In the case of human health-organism only criteria, site-specific criteria must fully protect human health when organisms are consumed from waters containing pollutants.
- (3) Any person may petition the commission to adopt site-specific criteria. A petition for the adoption of site-specific criteria shall:
  - (a) identify the specific waters to which the site-specific criteria would apply;
  - (b) explain the rationale for proposing the site-specific criteria;
- (c) describe the methods used to notify and solicit input from potential stakeholders and from the general public in the affected area, and present and respond to the public input received;
  - (d) present and justify the derivation of the proposed criteria.
- (4) A derivation of site-specific criteria shall rely on a scientifically defensible method, such as one of the following:
- (a) the recalculation procedure, the water-effect ratio for metals procedure or the resident species procedure as described in the water quality standards handbook (EPA-823-B-94-005a, 2nd edition, August 1994);
- (b) the streamlined water-effect ratio procedure for discharges of copper (EPA-822-R-01-005, March 2001);

- (c) the biotic ligand model as described in aquatic life ambient freshwater quality criteria copper (EPA-822-R-07-001, February 2007);
- (d) the methodology for deriving ambient water quality criteria for the protection of human health (EPA-822-B-00-004, October 2000) and associated technical support documents; or
- (e) a determination of the natural background of the water body as described in Subsection [E]  $\underline{G}$  of 20.6.4.10 NMAC.
- [£-] G. Site-specific criteria based on natural background. The commission may adopt site-specific criteria equal to the concentration resulting from natural background where that concentration protects the designated use. The concentration resulting from natural background supports the level of aquatic life and wildlife habitat expected to occur naturally at the site absent any interference by humans. Domestic water supply, primary or secondary contact, or human health-organism only criteria shall not be modified based on natural background. A determination of natural background shall:
  - (1) consider natural spatial and seasonal to interannual variability as appropriate;
  - (2) document the presence of natural sources of the pollutant;
  - (3) document the absence of human sources of the pollutant or quantify the human

contribution; and

(4) rely on analytical, statistical or modeling methodologies to quantify the natural background.

#### [F.] H. Temporary standards [:].

- (1) Any person may petition the commission to adopt a temporary standard applicable to all or part of a surface water of the state as provided for in this section and applicable sections in 40 CFR Part 131, Water Quality Standards; specifically, Section 131.14. The commission may adopt a proposed temporary standard if the petitioner demonstrates that:
- (a) attainment of the associated designated use may not be feasible in the short term due to one or more of the factors listed in 40 CFR 131.10(g), or due to the implementation of actions necessary to facilitate restoration such as through dam removal or other significant wetland or water body reconfiguration activities as demonstrated by the petition and supporting work plan requirements in Paragraphs (4) and (5) of Subsection [F]H of 20.6.4.10 NMAC;
- (b) the proposed temporary standard represents the highest degree of protection feasible in the short term, limits the degradation of water quality to the minimum necessary to achieve the original standard by the expiration date of the temporary standard, and adoption will not cause the further impairment or loss of an existing use;
- (c) for point sources, existing or proposed discharge control technologies will comply with applicable technology-based limitations and feasible technological controls and other management alternatives, such as a pollution prevention program; and
- (d) for restoration activities, nonpoint source or other control technologies shall limit downstream impacts, and if applicable, existing or proposed discharge control technologies shall be in place consistent with Subparagraph (c) of Paragraph (1) of Subsection [F] H of 20.6.4.10 NMAC.
- (2) A temporary standard shall apply to specific designated use(s), pollutant(s), or permittee(s), and to specific water body segment(s). The adoption of a temporary standard does not exempt dischargers from complying with all other applicable water quality standards or control technologies.
- (3) Designated use attainment as reported in the federal Clean Water Act, Section 305(b)/303(d) Integrated Report shall be based on the original standard and not on a temporary standard.
  - (4) A petition for a temporary standard shall:
- (a) identify the currently applicable standard(s), the proposed temporary standard for the specific pollutant(s), the permittee(s), and the specific surface water body segment(s) of the state to which the temporary standard would apply;
- (b) include the basis for any factor(s) specific to the applicability of the temporary standard (for example critical flow under Subsection B of 20.6.4.11 NMAC);
- (c) demonstrate that the proposed temporary standard meets the requirements in this subsection;
- (d) present a work plan with timetable of proposed actions for achieving compliance with the original standard in accordance with Paragraph (5) of Subsection [ $\mathbb{F}$ ]  $\underline{H}$  of 20.6.4.10 NMAC;
  - (e) include any other information necessary to support the petition.
- (5) As a condition of a petition for a temporary standard, in addition to meeting the requirements in this Subsection, the petitioner shall prepare a work plan in accordance with Paragraph (4) of

Subsection  $\[ \[ \] \] \]$  of 20.6.4.10 NMAC and submit the work plan to the department for review and comment. The work plan shall identify the factor(s) listed in 40 CFR 131.10(g) or Subparagraph (a) of Paragraph (1) of Subsection  $\[ \[ \] \]$  of 20.6.4.10 NMAC affecting attainment of the standard that will be analyzed and the timeline for proposed actions to be taken to achieve the uses attainable over the term of the temporary standard, including baseline water quality, and any investigations, projects, facility modifications, monitoring, or other measures necessary to achieve compliance with the original standard. The work plan shall include provisions for review of progress in accordance with Paragraph (8) of Subsection  $\[ \[ \] \]$  of 20.6.4.10 NMAC, public notice and consultation with appropriate state, tribal, local and federal agencies.

- (6) The commission may condition the approval of a temporary standard by requiring additional monitoring, relevant analyses, the completion of specified projects, submittal of information, or any other actions.
- (7) Temporary standards may be implemented only after a public hearing before the commission, commission approval and adoption pursuant to Subsection [F] <u>H</u> of 20.6.4.10 NMAC for all state purposes, and the federal Clean Water Act Section 303 (c) approval for any federal action.
- (8) All temporary standards are subject to a required review during each succeeding review of water quality standards conducted in accordance with Subsection A of 20.6.4.10 NMAC. The petitioner shall provide a written report to the commission documenting the progress of proposed actions, pursuant to a reporting schedule stipulated in the approved temporary standard. The purpose of the review is to determine progress consistent with the original conditions of the petition for the duration of the temporary standard. If the petitioner cannot demonstrate that sufficient progress has been made the commission may revoke approval of the temporary standard or provide additional conditions to the approval of the temporary standard.
- (9) The commission may consider a petition to extend a temporary standard. The effective period of a temporary standard shall be extended only if demonstrated to the commission that the factors precluding attainment of the underlying standard still apply, that the petitioner is meeting the conditions required for approval of the temporary standard, and that reasonable progress towards meeting the underlying standard is being achieved.
- (10) A temporary standard shall expire no later than the date specified in the approval of the temporary standard. Upon expiration of a temporary standard, the original standard becomes applicable.
- (11) Temporary standards shall be identified in 20.6.4.97-899 NMAC as appropriate for the surface water affected.
- (12) "Temporary standard" means a time-limited designated use and criterion for a specific pollutant(s) or water quality parameter(s) that reflect the highest attainable condition during the term of the temporary standard.

[20.6.4.10 NMAC - Rp 20 NMAC 6.1.1102, 10/12/2000; Rn, 20.6.4.9 NMAC, 5/23/2005; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/2022]

#### 20.6.4.11 APPLICABILITY OF WATER OUALITY STANDARDS:

#### A. [RESERVED]

- **B.** Critical low flow: The critical low flow of a stream at a particular site shall be used in developing point source discharge permit requirements to meet numeric criteria set in 20.6.4.97 through 20.6.4.900 NMAC and Subsection F of 20.6.4.13 NMAC.
- (1) For human health-organism only criteria, the critical low flow is the harmonic mean flow [; "harmonic mean flow" is the number of daily flow measurements divided by the sum of the reciprocals of the flows; that is, it is the reciprocal of the mean of reciprocals]. For ephemeral waters the calculation shall be based upon the nonzero flow intervals and modified by including a factor to adjust for the proportion of intervals with zero flow. The equations are as follows:

Harmonic Mean = 
$$\frac{n}{\sum 1/Q}$$

where n = number of flow values

and Q = flow value

Modified Harmonic Mean = 
$$\left[ \frac{\sum_{i=1}^{N_t - N_0} \frac{1}{Q_i}}{N_t - N_0} \right]^{-1} x \left[ \frac{N_t - N_0}{N_t} \right]$$

where Qi = nonzero flow

Nt = total number of flow values

and  $N_0$  = number of zero flow values

- (2) For all other narrative and numeric criteria, the critical low flow is the minimum average four consecutive day flow that occurs with a frequency of once in three years (4Q3). The critical low flow may be determined on an annual, a seasonal or a monthly basis, as appropriate, after due consideration of site-specific conditions.
- C. Guaranteed minimum flow: The commission may allow the use of a contractually guaranteed minimum streamflow in lieu of a critical low flow determined under Subsection B of this section on a case-by-case basis and upon consultation with the interstate stream commission. Should drought, litigation or any other reason interrupt or interfere with minimum flows under a guaranteed minimum flow contract for a period of at least 30 consecutive days, such permission, at the sole discretion of the commission, may then be revoked. Any minimum flow specified under such revoked permission shall be superseded by a critical low flow determined under Subsection B of this section. A public notice of the request for a guaranteed minimum flow shall be published in a newspaper of general circulation by the department at least 30 days prior to scheduled action by the commission. These water quality standards do not grant to the commission or any other entity the power to create, take away or modify property rights in water.
- **D. Mixing zones:** A limited mixing zone, contiguous to a point source wastewater discharge, may be allowed in any stream receiving such a discharge. Mixing zones serve as regions of initial dilution that allow the application of a dilution factor in calculations of effluent limitations. Effluent limitations shall be developed that will protect the most sensitive existing, designated or attainable use of the receiving water.
- **E. Mixing zone limitations:** Wastewater mixing zones, in which the numeric criteria set under Subsection F of 20.6.4.13 NMAC, 20.6.4.97 through 20.6.4.899 NMAC or 20.6.4.900 NMAC may be exceeded, shall be subject to the following limitations:
- (1) Mixing zones are not allowed for discharges to lakes, reservoirs, or playas; these effluents shall meet all applicable criteria set under Subsection F of 20.6.4.13 NMAC, 20.6.4.97 through 20.6.4.899 NMAC and 20.6.4.900 NMAC at the point of discharge.
- (2) The acute aquatic life criteria, as set out in Subsection I, Subsection J, and Subsection K of 20.6.4.900 NMAC, shall be attained at the point of discharge for any discharge to a surface water of the state with a designated aquatic life use.
- (3) The general criteria set out in Subsections A, B, C, D, E, G, H and J of 20.6.4.13 NMAC, and the provision set out in Subsection D of 20.6.4.14 NMAC are applicable within mixing zones.
- (4) The areal extent and concentration isopleths of a particular mixing zone will depend on site-specific conditions including, but not limited to, wastewater flow, receiving water critical low flow, outfall design, channel characteristics and climatic conditions and, if needed, shall be determined on a case-by-case basis. When the physical boundaries or other characteristics of a particular mixing zone must be known, the methods presented in Section 4.4.5, "Ambient-induced mixing," in "Technical support document for water quality-based toxics control" (March 1991, EPA/505/2-90-001) shall be used.
- (5) All applicable water quality criteria set under Subsection F of 20.6.4.13 NMAC, 20.6.4.97 through 20.6.4.899 NMAC and 20.6.4.900 NMAC shall be attained at the boundaries of mixing zones. A continuous zone of passage through or around the mixing zone shall be maintained in which the water quality meets all applicable criteria and allows the migration of aquatic life presently common in surface waters of the state with no effect on their populations.
- **F. Multiple uses:** When a surface water of the state has more than a single designated use, the applicable numeric criteria shall be the most stringent of those established for such water.
- **G.** Human health-organism only criteria in Subsection J of 20.6.4.900 NMAC apply to those waters with a designated, existing or attainable aquatic life use. When limited aquatic life is a designated use, the human

health-organism only criteria apply only if adopted on a segment-specific basis. The human health-organism only criteria for persistent toxic pollutants, as identified in Subsection J of 20.6.4.900 NMAC, also apply to all tributaries of waters with a designated, existing or attainable aquatic life use.

- H. Unclassified waters of the state: [Unclassified waters of the state are those surface waters of the state not identified in 20.6.4.101 through 20.6.4.899 NMAC.] An unclassified surface water of the state is presumed to support the uses specified in Section 101(a)(2) of the federal Clean Water Act. As such, it is subject to 20.6.4.98 NMAC if nonperennial or subject to 20.6.4.99 NMAC if perennial. The commission may include an ephemeral unclassified surface water of the state under 20.6.4.97 NMAC only if a use attainability analysis demonstrates pursuant to 20.6.4.15 NMAC that attainment of Section 101(a)(2) uses is not feasible.
- **I. Exceptions:** Numeric criteria for temperature, dissolved solids, dissolved oxygen, sediment or turbidity adopted under the Water Quality Act do not apply when changes in temperature, dissolved solids, dissolved oxygen, sediment or turbidity in a surface water of the state are attributable to:
- (1) natural causes (discharges from municipal separate storm sewers are not covered by this exception.); or
- the reasonable operation of irrigation and flood control facilities that are not subject to federal or state water pollution control permitting; major reconstruction of storage dams or diversion dams except for emergency actions necessary to protect health and safety of the public are not covered by this exception. [20.6.4.11 NMAC Rp 20 NMAC 6.1.1103, 10/12/2000; A, 10/11/2002; Rn, 20.6.4.10 NMAC, 5/23/2005; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022]
- **20.6.4.12 COMPLIANCE WITH WATER QUALITY STANDARDS:** The following provisions apply to determining compliance for enforcement purposes; they do not apply for purposes of determining attainment of uses. The department has developed assessment protocols for the purpose of determining attainment of uses that are available for review from the department's surface water quality bureau.
- **A.** Compliance with acute water quality criteria shall be determined from the analytical results of a single grab sample. Acute criteria shall not be exceeded.
- **B.** Compliance with chronic water quality criteria shall be determined from the arithmetic mean of the analytical results of samples collected using applicable protocols. Chronic criteria shall not be exceeded more than once every three years.
- C. Compliance with water quality standards for total ammonia shall be determined by performing the biomonitoring procedures set out in Subsections D and E of 20.6.4.14 NMAC, or by attainment of applicable ammonia criteria set out in Subsections K, L and M of 20.6.4.900 NMAC.
- **D.** Compliance with the human health-organism only criteria shall be determined from the analytical results of representative grab samples, as defined in the water quality management plan. Human health-organism only criteria shall not be exceeded.
- **E.** The commission may establish a numeric water quality criterion at a concentration that is below the minimum quantification level. In such cases, the water quality standard is enforceable at the minimum quantification level.
- **F.** For compliance with hardness-dependent numeric criteria, [dissolved-]hardness (as mg CaCO<sub>3</sub>/L) shall be determined from a sample taken at the same time that the sample for the contaminant is taken.
- G. Compliance schedules: [It shall be the policy of the commission to allow on a case by case basis the]. The commission may allow the inclusion of a schedule of compliance in a NPDES permit issued to an existing facility on a case-by-case basis. Such schedule of compliance will be for the purpose of providing a permittee with adequate time to make treatment facility modifications necessary to comply with water quality based permit limitations determined to be necessary to implement new or revised water quality standards or wasteload allocation. Compliance schedules may be included in NPDES permits at the time of permit renewal or modification and shall be written to require compliance at the earliest practicable time. Compliance schedules shall also specify milestone dates so as to measure progress towards final project completion (e.g., design completion, construction start, construction completion, date of compliance).
- **H.** It is a policy of the commission to allow a temporary standard approved and adopted pursuant to Subsection [F]  $\underline{H}$  of 20.6.4.10 NMAC to be included in the applicable federal Clean Water Act permit as enforceable limits and conditions. The temporary standard and any schedule of actions may be included at the earliest practicable time, and shall specify milestone dates so as to measure progress towards meeting the original standard. [20.6.4.12 NMAC Rp 20 NMAC 6.1.1104, 10/12/2000; A, 10/11/2002; Rn, 20.6.4.11 NMAC, 5/23/2005; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/2022]

**20.6.4.13 GENERAL CRITERIA:** General criteria are established to sustain and protect existing or attainable uses of surface waters of the state. These general criteria apply to all surface waters of the state at all times, unless a specified criterion is provided elsewhere in this part. Surface waters of the state shall be free of any water contaminant in such quantity and of such duration as may with reasonable probability injure human health, animal or plant life or property, or unreasonably interfere with the public welfare or the use of property.

## A. Bottom deposits and suspended or settleable solids:

- (1) Surface waters of the state shall be free of water contaminants including fine sediment particles (less than two millimeters in diameter), precipitates or organic or inorganic solids from other than natural causes that have settled to form layers on or fill the interstices of the natural or dominant substrate in quantities that damage or impair the normal growth, function or reproduction of aquatic life or significantly alter the physical or chemical properties of the bottom.
- Suspended or settleable solids from other than natural causes shall not be present in surface waters of the state in quantities that damage or impair the normal growth, function or reproduction of aquatic life or adversely affect other designated uses.
- **B.** Floating solids, oil and grease: Surface waters of the state shall be free of oils, scum, grease and other floating materials resulting from other than natural causes that would cause the formation of a visible sheen or visible deposits on the bottom or shoreline, or would damage or impair the normal growth, function or reproduction of human, animal, plant or aquatic life.
- **C.** Color-producing materials resulting from other than natural causes shall not create an aesthetically undesirable condition nor shall color impair the use of the water by desirable aquatic life presently common in surface waters of the state.

## D. Organoleptic quality:

- (1) Flavor of fish: Water contaminants from other than natural causes shall be limited to concentrations that will not impart unpalatable flavor to fish.
- (2) Odor and taste of water: Water contaminants from other than natural causes shall be limited to concentrations that will not result in offensive odor or taste arising in a surface water of the state or otherwise interfere with the reasonable use of the water.
- **E. Plant nutrients:** Plant nutrients from other than natural causes shall not be present in concentrations that will produce undesirable aquatic life or result in a dominance of nuisance species in surface waters of the state.

#### F. Toxic pollutants:

- (1) Except as provided in 20.6.4.16 NMAC, surface waters of the state shall be free of toxic pollutants from other than natural causes in amounts, <u>duration</u>, concentrations, or combinations that affect the propagation of fish or that are toxic to humans, livestock or other animals, fish or other aquatic organisms, wildlife using aquatic environments for habitation or aquatic organisms for food, or that will or can reasonably be expected to bioaccumulate in tissues of fish, shellfish and other aquatic organisms to levels that will impair the health of aquatic organisms or wildlife or result in unacceptable tastes, odors or health risks to human consumers of aquatic organisms.
- (2) Pursuant to this section, the human health-organism only criteria shall be as set out in 20.6.4.900 NMAC. When a human health-organism only criterion is not listed in 20.6.4.900 NMAC, the following provisions shall be applied in accordance with 20.6.4.11, 20.6.4.12 and 20.6.4.14 NMAC.
- (a) The human health-organism only criterion shall be the recommended human health criterion for "consumption of organisms only" published by the U.S. environmental protection agency pursuant to Section 304(a) of the federal Clean Water Act. In determining such criterion for a cancer-causing toxic pollutant, a cancer risk of 10<sup>-5</sup> (one cancer per 100,000 exposed persons) shall be used.
- (b) When a numeric criterion for the protection of human health for the consumption of organism only has not been published by the U.S. environmental protection agency, a quantifiable criterion may be derived from data available in the U.S. environmental protection agency's Integrated Risk Information System (IRIS) using the appropriate formula specified in *Methodology for Deriving Ambient Water Quality Criteria for The Protection Of Human Health* (2000), EPA-822-B-00-004.
- (3) Pursuant to this section, the chronic aquatic life criteria shall be as set out in 20.6.4.900 NMAC. When a chronic aquatic life criterion is not listed in 20.6.4.900 NMAC, the following provisions shall be applied in sequential order in accordance with 20.6.4.11, 20.6.4.12 and 20.6.4.14 NMAC.
- (a) The chronic aquatic life criterion shall be the "freshwater criterion continuous concentration" published by the U.S. environmental protection agency pursuant to Section 304(a) of the federal Clean Water Act;

- (b) If the U.S. environmental protection agency has not published a chronic aquatic life criterion, a geometric mean LC-50 value shall be calculated for the particular species, genus or group that is representative of the form of life to be preserved, using the results of toxicological studies published in scientific journals.
- (i) The chronic aquatic life criterion for a toxic pollutant that does not bioaccumulate shall be ten percent of the calculated geometric mean LC-50 value; and
- (ii) The chronic aquatic life criterion for a toxic pollutant that does bioaccumulate shall be: the calculated geometric mean LC-50 adjusted by a bioaccumulation factor for the particular species, genus or group representative of the form of life to be preserved, but when such bioaccumulation factor has not been published, the criterion shall be one percent of the calculated geometric mean LC-50 value.
- (4) Pursuant to this section, the acute aquatic life criteria shall be as set out in 20.6.4.900 NMAC. When an acute aquatic life criterion is not listed in 20.6.4.900 NMAC, the acute aquatic life criterion shall be the "freshwater criterion maximum concentration" published by the U.S. environmental protection agency pursuant to Section 304(a) of the federal Clean Water Act.
- (5) Within 90 days of the issuance of a final NPDES permit containing a numeric criterion selected or calculated pursuant to Paragraph (2), Paragraph (3) or Paragraph (4) of Subsection F of this section, the department shall petition the commission to adopt such criterion into these standards.
- **G. Radioactivity:** The radioactivity of surface waters of the state shall be maintained at the lowest practical level and shall in no case exceed the criteria set forth in the New Mexico Radiation Protection Regulations, 20.3.1 and 20.3.4 NMAC.
- **H.** Pathogens: Surface waters of the state shall be free of pathogens from other than natural causes in sufficient quantity to impair public health or the designated, existing or attainable uses of a surface water of the state.
- I. Temperature: Maximum temperatures for surface waters of the state have been specified in 20.6.4.97 through 20.6.4.900 NMAC. However, the introduction of heat by other than natural causes shall not increase the temperature, as measured from above the point of introduction, by more than 2.7°C (5°F) in a stream, or more than 1.7°C (3°F) in a lake or reservoir. In no case will the introduction of heat be permitted when the maximum temperature specified for the reach would thereby be exceeded. These temperature criteria shall not apply to impoundments constructed offstream for the purpose of heat disposal. High water temperatures caused by unusually high ambient air temperatures are not violations of these criteria.
- J. Turbidity: Turbidity attributable to other than natural causes shall not reduce light transmission to the point that the normal growth, function or reproduction of aquatic life is impaired or that will cause substantial visible contrast with the natural appearance of the water. Activities or discharges shall not cause turbidity to increase more than 10 NTU over background turbidity when the background turbidity, measured at a point immediately upstream of the activity, is 50 NTU or less, nor to increase more than twenty percent when the background turbidity is more than 50 NTU. However, limited-duration turbidity increases caused by dredging, construction or other similar activities may be allowed provided all practicable turbidity control techniques have been applied and all appropriate permits, certifications and approvals have been obtained.
- **K. Total dissolved solids (TDS):** TDS attributable to other than natural causes shall not damage or impair the normal growth, function or reproduction of animal, plant or aquatic life. TDS shall be measured by either the "calculation method" (sum of constituents) or the filterable residue method. Approved test procedures for these determinations are set forth in 20.6.4.14 NMAC.
- **L. Dissolved gases:** Surface waters of the state shall be free of nitrogen and other dissolved gases at levels above one hundred ten percent saturation when this supersaturation is attributable to municipal, industrial or other discharges.
- **M. Biological integrity:** Surface waters of the state shall support and maintain a balanced and integrated community of aquatic organisms with species composition, diversity and functional organization comparable to those of natural or minimally impacted water bodies of a similar type and region. [20.6.4.13 NMAC Rp 20 NMAC 6.1.1105, 10/12/2000; A, 10/11/2002; Rn, 20.6.4.12 NMAC, 5/23/2005; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022]

#### 20.6.4.14 SAMPLING AND ANALYSIS:

**A.** Sampling and analytical techniques shall conform with methods described in the following references unless otherwise specified by the commission pursuant to a petition to amend these standards:

- (1) "Guidelines Establishing Test Procedures For The Analysis Of Pollutants Under The Clean Water Act," 40 CFR Part 136 or any test procedure approved or accepted by EPA using procedures provided in 40 CFR Parts 136.3(d), 136.4, and 136.5;
- (2) Standard Methods For The Examination Of Water And Wastewater, latest edition, American public health association;
- (3) Methods For Chemical Analysis Of Water And Waste, and other methods published by EPA office of research and development or office of water;
  - (4) Techniques Of Water Resource Investigations Of The U.S. Geological Survey;
- (5) Annual Book Of ASTM Standards: volumes 11.01 and 11.02, water (I) and (II), latest edition, ASTM international;
- (6) Federal Register, latest methods published for monitoring pursuant to Resource Conservation and Recovery Act regulations;
- (7) National Handbook Of Recommended Methods For Water-Data Acquisition, latest edition, prepared cooperatively by agencies of the United States government under the sponsorship of the U.S. geological survey; or
- (8) Federal Register, latest methods published for monitoring pursuant to the Safe Drinking Water Act regulations.
- **B. Bacteriological Surveys:** The monthly geometric mean shall be used in assessing attainment of criteria when a minimum of five samples is collected in a 30-day period.

## C. Sampling Procedures:

- (1) Streams: Stream monitoring stations below discharges shall be located a sufficient distance downstream to ensure adequate vertical and lateral mixing.
  - (2) Lakes: Sampling stations in lakes shall be located at least 250 feet from a discharge.
- (3) Lakes: Except for the restriction specified in Paragraph (2) of this subsection, lake sampling stations shall be located at any site where the attainment of a water quality criterion is to be assessed. Water quality measurements taken at intervals in the entire water column at a sampling station shall be averaged for the epilimnion, or in the absence of an epilimnion, for the upper one-third of the water column of the lake to determine attainment of criteria, except that attainment of criteria for toxic pollutants shall be assessed during periods of complete vertical mixing, e.g., during spring or fall turnover, or by taking depth-integrated composite samples of the water column.
- **D.** Acute toxicity of effluent to aquatic life shall be determined using the procedures specified in U.S. environmental protection agency "*Methods for Measuring The Acute Toxicity of Effluents and Receiving Waters To Freshwater and Marine Organisms*" (5th Ed., 2002, EPA 821-R-02-012), or latest edition thereof if adopted by EPA at 40 CFR Part 136, which is incorporated herein by reference. Acute toxicities of substances shall be determined using at least two species tested in whole effluent and a series of effluent dilutions. Acute toxicity due to discharges shall not occur within the wastewater mixing zone in any surface water of the state with an existing or designated aquatic life use.
- **E.** Chronic toxicity of effluent or ambient surface waters of the state to aquatic life shall be determined using the procedures specified in U.S. environmental protection agency "Short-Term Methods For Estimating The Chronic Toxicity Of Effluents And Receiving Waters To Freshwater Organisms" (4th Ed., 2002, EPA 821-R-02-013), or latest edition thereof if adopted by EPA at 40 CFR Part 136, which is incorporated herein by reference. Chronic toxicities of substances shall be determined using at least two species tested in ambient surface water or whole effluent and a series of effluent dilutions. Chronic toxicity due to discharges shall not occur at the critical low flow, or any flow greater than the critical low flow, in any surface water of the state with an existing or designated aquatic life use more than once every three years.
- **F.** Emerging Contaminants Monitoring: The department may require monitoring, analysis and reporting of emerging contaminants as a condition of a federal permit under Section 401 of the federal Clean Water Act.

[20.6.4.14 NMAC - Rp 20 NMAC 6.1.1106, 10/12/2000; Rn, 20.6.4.13 NMAC, 5/23/2005 & A, 5/23/2005; A, 12/1/2010; A 4/23/2022]

#### 20.6.4.15 USE ATTAINABILITY ANALYSIS:

A. Regulatory requirements for a use attainability analysis. [A use attainability analysis is a scientific study conducted for the purpose of assessing the factors affecting the attainment of a use.] Whenever a use attainability analysis is conducted, it shall be subject to the requirements and limitations set forth in 40 CFR Part 131, Water Quality Standards; specifically, Subsections 131.3(g), 131.10(g), 131.10(h) and 131.10(j) shall be

applicable. <u>In accordance with 40 CFR 131.10(i)</u>, and 20.6.4.10 NMAC, the amendment of a designated use, based on an existing use with more stringent criteria, does not require a use attainability analysis.

- (1) The commission may remove a designated use, that is not an existing use, specified in Section 101(a)(2) of the federal Clean Water Act or adopt subcategories of a <u>use in Section 101(a)(2) of the federal Clean Water Act [use]</u> requiring less stringent criteria only if a use attainability analysis demonstrates that attaining the use is not feasible because of a factor listed in 40 CFR 131.10(g). <u>Uses in Section 101(a)(2) of the federal Clean Water Act [uses]</u>, which refer to the protection and propagation of fish, shellfish and wildlife and recreation in and on the water, are also specified in Subsection B of 20.6.4.6 NMAC.
- (2) A designated use cannot be removed if it is an existing use unless a use requiring more stringent criteria is designated.
- **B.** Methods for developing a use attainability analysis. A use attainability analysis shall assess the physical, chemical, biological, economic or other factors affecting the attainment of a use. The analysis shall rely on scientifically defensible methods such as the methods described in the following documents:
- (1) Technical Support Manual: Waterbody Surveys And Assessments For Conducting Use Attainability Analyses, volume I (November 1983) and volume III (November 1984) or latest editions, United States environmental protection agency, office of water, regulations and standards, Washington, D.C., for the evaluation of aquatic life or wildlife uses;
- (2) the department's *Hydrology Protocol*, latest edition, approved by the commission, for identifying ephemeral, [and] intermittent, and perennial waters; or
- (3) Interim Economic Guidance For Water Quality Standards Workbook, March 1995, United States environmental protection agency, office of water, Washington, D.C. for evaluating economic impacts.
- C. Determining the highest attainable use. If the use attainability analysis determines that the designated use is not attainable based on one of the factors in 40 CFR 131.10(g), the use attainability analysis shall demonstrate the support for removing the designated use and then determine the highest attainable use, as defined in 40 CFR 131.3(m), for the protection and propagation of fish, shellfish and wildlife and recreation in and on the water based on methods described in Subsection B of this section.

#### D. Process to amend a designated use through a use attainability analysis.

- (1) The process for developing a use attainability analysis and petitioning the commission for removing a designated use and establishing the highest attainable use shall be done in accordance with the State's current Water Quality Management Plan/Continuing Planning Process.
- [C<sub>1</sub>] (2) If the findings of a use attainability analysis, conducted by the department, [based on] in accordance with the department's *Hydrology Protocol* (latest edition) [, approved by the commission,] demonstrates [to the satisfaction of the department] that federal Clean Water Act Section 101(a)(2) uses, that are not existing uses, are not feasible in an ephemeral water body due to the factor in 40 CFR 131.10(g)(2), the department may consider proceeding with the expedited use attainability analysis process in accordance with the State's current *Water Quality Management Plan/Continuing Planning Process*. The following elements must be met for the expedited use attainability analysis process to be authorized and implemented:
- (a) The department is the primary investigator of the use attainability analysis;
  (b) The use attainability analysis determined, through the application of the

Hydrology Protocol, that the water being investigated is ephemeral and has no effluent discharges of sufficient volume that could compensate for the low-flow;

- (c) The use attainability analysis determined that the criteria associated with the existing uses of the water being investigated are not more stringent than those in 20.6.4.97 NMAC;
- (d) The designated uses in 20.6.4.97 NMAC have been determined to be the highest attainable uses for the water being analyzed;
- (e) The department [shall post] posted the use attainability analysis on its water quality standards website and [notify] notified its interested parties list of a 30-day public comment period [-];

  (f) [After reviewing] The department reviewed and responded to any comments
- received during the 30-day public comment period [7]; and
- <u>(g)</u> The department [may proceed by submitting] submitted the use attainability analysis and response to comments to region 6 EPA for technical approval.

If EPA approves the revision under section 303(c) of the Clean Water Act [technical approval is granted], the water shall be subject to 20.6.4.97 NMAC for federal Clean Water Act purposes. The use attainability analysis, the technical support document, [approval,] and the applicability of 20.6.4.97 NMAC to the water shall be posted on the department's water quality standards website. The department shall periodically petition the commission to list

ephemeral waters under Subsection C of 20.6.4.97 NMAC and to incorporate changes to classified segments as appropriate.

- [D.] E. Use attainability analysis conducted by an entity other than the department. Any person may submit notice to the department stating [the] their intent to conduct a use attainability analysis. The proponent shall provide such notice along with [develop] a work plan supporting [to eonduct] the development of a use attainability analysis [- and shall submit the work plan] to the department and region 6 EPA for review and comment. Upon approval of the work plan by the department, the proponent shall conduct the use attainability analysis in accordance with the applicable portions of Subsections A through D of this Section and implement public noticing in accordance with the approved work plan. Work plan elements. The work plan shall identify, at a minimum: **(3)** the waterbody of concern and the reasoning for conducting a use attainability analysis; the [scope] source and validity of data [currently available and the scope of data **(b)** to be gathered] to be used to demonstrate whether the current designated use is not attainable; [7] the factors in 40 CFR 131.10(g) affecting [use] the attainment of that use; (c) (d) [that will be analyzed] a description of the data being proposed to be used to demonstrate the highest attainable use; (e) [and] the provisions for consultation with appropriate state and federal agencies; a description of how stakeholders and potentially affected tribes will be identified and engaged; a description of the public notice mechanisms to be employed; and [consultation (g) with appropriate state and federal agencies the expected timelines outlining the administrative actions to be taken for a rulemaking petition, pending the outcome of the use attainability analysis. [Upon approval of the work plan by the department, the proponent shall conduct the use attainability analysis in accordance with the approved work plan. The cost of such analysis shall be the responsibility of the proponent.] Upon completion of the use attainability analysis, the proponent shall submit the data, findings and conclusions to the department, and provide public notice of the use attainability analysis in accordance with the approved work plan. **(5)** Pending the conclusions of the use attainability analysis and as described in the approved
- work plan. [The] the department or the proponent may petition the commission to modify the designated use [if the conclusions of the analysis support such action]. The cost of such use attainability analysis shall be the responsibility of the proponent. Subsequent costs associated with the administrative rulemaking process shall be the responsibility of the petitioner.
- [20.6.4.15 NMAC Rp 20 NMAC 6.1.1107, 10/12/2000; Rn, 20.6.4.14 NMAC, 5/23/2005; A, 5/23/2005; A, 7/17/2005; A, 12/1/2010; A, 4/23/2022]
- 20.6.4.97 EPHEMERAL WATERS: Ephemeral surface waters of the state as identified below and additional ephemeral waters as identified on the department's water quality standards website pursuant to Paragraph (2) of Subsection [G] D of 20.6.4.15 NMAC are subject to the designated uses and criteria as specified in this section. Ephemeral waters classified in 20.6.4.101-899 NMAC are subject to the designated uses and criteria as specified in those sections.
  - **A. Designated uses:** livestock watering, wildlife habitat, limited aquatic life and secondary contact.
  - **B.** Criteria: the use-specific criteria in 20.6.4.900 NMAC are applicable to the designated uses.
  - C. Waters:
    - (1) the following waters are designated in the Rio Grande basin:
- (a) Cunningham gulch from Santa Fe county road 55 upstream 1.4 miles to a point upstream of the Lac minerals mine, identified as Ortiz mine on U.S. geological survey topographic maps;
- (b) an unnamed tributary from Arroyo Hondo upstream 0.4 miles to the Village of Oshara water reclamation facility outfall;
- (c) an unnamed tributary from San Pedro creek upstream 0.8 miles to the PAA-KO community sewer outfall;
- (d) Inditos draw from the crossing of an unnamed road along a power line one-quarter mile west of McKinley county road 19 upstream to New Mexico highway 509;

- (e) an unnamed tributary from the diversion channel connecting Blue canyon and Socorro canyon upstream 0.6 miles to the New Mexico firefighters academy treatment facility outfall;
- (f) an unnamed tributary from the Albuquerque metropolitan arroyo flood control authority (AMAFCA) Rio Grande south channel upstream of the crossing of New Mexico highway 47 upstream to I-25;
- (g) the south fork of Cañon del Piojo from [Canon] Cañon del Piojo upstream 1.2 miles to an unnamed tributary;
- (h) an unnamed tributary from the south fork of Cañon del Piojo upstream 1 mile to the Resurrection mine outfall;
- (i) Arroyo del Puerto from San Mateo creek upstream 6.8 miles to the Ambrosia Lake mine entrance road;
- (j) an unnamed tributary from San Mateo creek upstream 1.5 miles to the Roca Honda mine facility outfall;
- (k) San Isidro arroyo, including unnamed tributaries to San Isidro arroyo, from Arroyo Chico upstream to its headwaters;
- (I) Arroyo Tinaja, including unnamed tributaries to Arroyo Tinaja, from San Isidro arroyo upstream to 2 miles northeast of the Cibola national forest boundary;
- (m) Mulatto canyon from Arroyo Tinaja upstream to 1 mile northeast of the Cibola national forest boundary; and
- (n) Doctor arroyo, including unnamed tributaries to Doctor arroyo, from San Isidro arroyo upstream to its headwaters, and excluding Doctor Spring and Doctor arroyo from the spring to its confluence with the unnamed tributary approximately one-half mile downstream of the spring.
  - (2) the following waters are designated in the Pecos river basin:
    - (a) an unnamed tributary from Hart canyon upstream 1 mile to South Union road;
    - (b) Aqua Chiquita from Rio Peñasco upstream to McEwan canyon; and
    - (c) Grindstone canyon upstream of Grindstone reservoir.
  - (3) the following waters are designated in the Canadian river basin:
    - (a) Bracket canyon upstream of the Vermejo river;
    - (b) an unnamed tributary from Bracket canyon upstream 2 miles to the Ancho mine;

and

- (c) Gachupin canyon from the Vermejo river upstream 2.9 miles to an unnamed west tributary near the Ancho mine outfall.
- (4) in the San Juan river basin an unnamed tributary of Kim-me-ni-oli wash upstream of the mine outfall.
  - (5) the following waters are designated in the Little Colorado river basin:
    - (a) Defiance draw from County Road 1 to upstream of West Defiance Road; and
- (b) an unnamed tributary of Defiance draw from McKinley county road 1 upstream to New Mexico highway 264.
  - (6) the following waters are designated in the closed basins:
    - (a) in the Tularosa river closed basin San Andres canyon downstream of South San

Andres canyon; and

(b) in the Mimbres river closed basin San Vicente arroyo from the Mimbres river upstream to Maudes canyon.

[20.6.4.97 NMAC - N, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 12/17/2019; A, 4/23/2022]

- 20.6.4.103 RIO GRANDE BASIN: [The main stem of the Rio Grande from the headwaters of Caballo reservoir upstream to Elephant Butte dam and perennial] Perennial reaches of tributaries to the Rio Grande in Sierra and Socorro counties not specifically identified under other sections of 20.6.4 NMAC, excluding waters on tribal lands.
- **A. Designated uses:** irrigation, livestock watering, wildlife habitat, marginal coldwater aquatic life, secondary contact and warmwater aquatic life.
- **B.** Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses.
- [C. Remarks: flow in this reach of the Rio Grande main stem is dependent upon release from Elephant Butte dam.]

[20.6.4.103 NMAC - Rp 20 NMAC 6.1.2103, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022]

- [NOTE: This segment was divided effective 4/23/2022. The standards for the main stem of the Rio Grande from the headwaters of Caballo reservoir upstream to Elephant Butte dam, perennial reaches of Palomas creek, perennial reaches of Rio Salado, perennial reaches of Percha creek, perennial reaches of Alamosa creek, Las Animas creek, and perennial reaches of Abo arroyo are under 20.6.4.112 NMAC.]
- 20.6.4.108 RIO GRANDE BASIN: Perennial reaches of the Jemez river upstream of Soda dam near the town of Jemez Springs and [all its] perennial reaches of tributaries to the Jemez river except those not specifically identified under other sections of 20.6.4 NMAC [above Soda dam near the town of Jemez Springs, except San Gregorio lake and Sulphur creek above its confluence with Redondo creek], and perennial reaches of the Guadalupe river and perennial reaches of [all its] tributaries to the Guadalupe river, and Calaveras canyon.
- **A. Designated uses:** domestic water supply, fish culture, high quality coldwater aquatic life, irrigation, livestock watering, wildlife habitat and primary contact.
- **B. Criteria:** the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: specific conductance 400 μS/cm or less (800 μS/cm or less on Sulphur creek); the monthly geometric mean of *E. coli* bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less; and pH within the range of 2.0 to 8.8 on Sulphur creek. [20.6.4.108 NMAC Rp 20 NMAC 6.1.2106, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012; A, 4/23/2022] [**NOTE:** The segment covered by this section was divided effective 5/23/2005. The standards for the additional segment are under 20.6.4.124 NMAC. The standards for San Gregorio lake are in 20.6.4.134 NMAC, effective 7/10/2012]
- 20.6.4.112 [RESERVED] RIO GRANDE BASIN: The main stem of the Rio Grande from the headwaters of Caballo reservoir upstream to Elephant Butte dam, perennial reaches of Palomas creek, perennial reaches of Rio Salado, perennial reaches of Percha creek, perennial reaches of Alamosa creek, Las Animas creek, and perennial reaches of Abo arroyo.
- A. Designated uses: irrigation, livestock watering, wildlife habitat, marginal coldwater aquatic life, primary contact and warmwater aquatic life.
- **B.** Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses.
- **C. Remarks:** flow in this reach of the Rio Grande main stem is dependent upon release from Elephant Butte dam.
- [20.6.4.112 NMAC Rp 20 NMAC 6.1.2109, 10/12/2000; A, 5/23/2005; Repealed, 12/1/2010; A, 4/23/2022]
- 20.6.4.115 RIO GRANDE BASIN: The perennial reaches of Rio Vallecitos, [and its] perennial reaches of tributaries to Rio Vallecitos except Hopewell lake, and perennial reaches of Rio del Oso and perennial reaches of El Rito creek above the town of El Rito.
- **A. Designated uses:** domestic water supply, irrigation, high quality coldwater aquatic life, livestock watering, wildlife habitat and primary contact; public water supply on the Rio Vallecitos and El Rito creek.
- **B. Criteria:** the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: specific conductance 300  $\mu$ S/cm or less; the monthly geometric mean of *E. coli* bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. [20.6.4.115 NMAC Rp 20 NMAC 6.1.2112, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012; A, 4/23/2022] [**NOTE:** The standards for Hopewell lake are in 20.6.4.134 NMAC, effective 7/10/2012]
- 20.6.4.116 RIO GRANDE BASIN: The Rio Chama from its mouth on the Rio Grande upstream to Abiquiu reservoir, perennial reaches of the Rio Tusas, perennial reaches of the Rio Ojo Caliente, perennial reaches of Abiquiu creek and perennial reaches of El Rito creek downstream of the town of El Rito.
- **A. Designated uses:** irrigation, livestock watering, wildlife habitat, coldwater aquatic life, warmwater aquatic life and [secondary] primary contact.
- **B.** Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criterion applies: temperature 31°C (87.8°F) or less. [20.6.4.116 NMAC Rp 20 NMAC 6.1.2113, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/2022]
- 20.6.4.126 RIO GRANDE BASIN: Perennial <u>waters within lands managed by the U.S. department of energy (DOE)</u> within Los Alamos National Laboratory (LANL), including but not limited to: [portions of]

Cañon de Valle from [Los Alamos national laboratory (]LANL[)] stream gage E256 upstream to Burning Ground spring, Sandia canyon from Sigma canyon upstream to LANL NPDES outfall 001, Pajarito canyon from 0.5 miles below Arroyo de La Delfe upstream to Homestead spring, Arroyo de la Delfe from Pajarito canyon to Kieling spring, [into] Starmers gulch and Starmers spring and Water canyon from Area-A canyon upstream to State Route 501.

- **A. Designated uses:** coldwater aquatic life, livestock watering, wildlife habitat and secondary contact.
- **B. Criteria:** the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses.

[20.6.4.126 NMAC - N, 5/23/2005; A, 12/1/2010; A, 4/23/2022]

- 20.6.4.128 RIO GRANDE BASIN: Ephemeral and intermittent [watercourses] waters within lands managed by U.S. department of energy (DOE) within LANL[-], including but not limited to: Mortandad canyon, Cañada del Buey, Ancho canyon, Chaquehui canyon, Indio canyon, Fence canyon, Potrillo canyon, and portions of Cañon de Valle, Los Alamos canyon, Sandia canyon, Pajarito canyon and Water canyon not [specifically] identified in 20.6.4.126 NMAC or 20.6.4.140 NMAC. (Surface waters within lands scheduled for transfer from DOE to tribal, state or local authorities are specifically excluded.)
  - **A. Designated uses:** livestock watering, wildlife habitat, limited aquatic life and secondary contact.
- **B. Criteria:** the use-specific criteria in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: the acute total ammonia criteria set forth in Subsection [K] <u>L</u> of 20.6.4.900 NMAC ([salmonids] *Oncorhynchus* spp. absent). [20.6.4.128 NMAC N, 5/23/2005; A, 12/1/2010; A, 4/23/2022]

[**NOTE:** This section was divided effective 4/23/2022. The standards for some intermittent waters within LANL are in 20.6.4.140 NMAC.]

- 20.6.4.140 RIO GRANDE BASIN: Effluent canyon from Mortandad canyon to its headwaters, intermittent portions of S-Site canyon from monitoring well MSC 16-06293 to Martin spring, and intermittent portions of Twomile canyon from its confluence with Pajarito canyon to Upper Twomile canyon. (Surface waters within lands scheduled for transfer from DOE to tribal, state or local authorities are specifically excluded.)
- A. Designated uses: livestock watering, wildlife habitat, marginal warmwater aquatic life and secondary contact.
- **B.** Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses.

[20.6.4.140 NMAC - N, 4/23/2022]

## 20.6.4.204 PECOS RIVER BASIN: The main stem of the Pecos river from the headwaters of Avalon reservoir upstream to Brantley dam.

- **A. Designated uses:** irrigation, livestock watering, wildlife habitat, [secondary] <u>primary</u> contact and warmwater aquatic life.
- **B.** Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses.

[20.6.4.204 NMAC - Rp 20 NMAC 6.1.2204, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] [**NOTE:** The segment covered by this section was divided effective 5/23/2005. The standards for Avalon Reservoir are under 20.6.4.219 NMAC.]

- 20.6.4.206 PECOS RIVER BASIN: [The main stem of the Pecos river from the headwaters of Brantley reservoir upstream to Salt creek (near Acme), perennial reaches of the Rio Peñasco downstream from state highway 24 near Dunken, perennial reaches of the Rio Hondo and its] Perennial reaches of the Rio Felix and perennial reaches of tributaries to the Rio Hondo downstream of Bonney canyon, excluding North Spring river [and perennial reaches of the Rio Felix].
- **A. Designated uses:** irrigation, livestock watering, wildlife habitat, secondary contact and warmwater aquatic life.
  - B. Criteria:
- (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses.

(2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 6,000 mg/L or less.

[20.6.4.206 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/2022]

[NOTE: This segment was divided effective 4/23/2022. The standards for the main stem of the Pecos river from the headwaters of Brantley reservoir upstream to Salt creek (near Acme), perennial reaches of the Rio Peñasco downstream from state highway 24 near Dunken, and perennial reaches of the Rio Hondo are under 20.6.4.231 NMAC.]

# 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Sumner dam.

- **A. Designated uses:** irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat and [secondary] primary contact.
  - B. Criteria:
- (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses.
- (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less.

  [20.6.4.207 NMAC Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022]
- 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 near Dunken, [and its] perennial reaches of tributaries to the Rio Peñasco above state highway 24 near Dunken, perennial reaches of Cox canyon, perennial reaches of the Rio Bonito downstream from state highway 48 (near Angus), the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches of the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita.
- **A. Designated uses:** fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquatic life and primary contact.
- **B.** Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. [20.6.4.208 NMAC Rp 20 NMAC 6.1.2208, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022]
- 20.6.4.209 PECOS RIVER BASIN: Perennial reaches of Eagle creek upstream of Alto dam to the Mescalero Apache boundary, perennial reaches of the Rio Bonito upstream of state highway 48 (near Angus) excluding Bonito lake, [and its] perennial reaches of tributaries to the Rio Bonito upstream of state highway 48 (near Angus)[-], [and] perennial reaches of the Rio Ruidoso upstream of the U.S. highway 70 bridge near Seeping Springs lakes [5] above and below the Mescalero Apache boundary and [its] perennial reaches of tributaries to the Rio Ruidoso upstream of the U.S. highway 70 bridge near Seeping Springs lakes [5] above and below the Mescalero Apache boundary.
- **A. Designated uses:** domestic water supply, high quality coldwater aquatic life, irrigation, livestock watering, wildlife habitat, public water supply and primary contact.
- **B. Criteria:** the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: specific conductance 600  $\mu$ S/cm or less in Eagle creek, 1,100  $\mu$ S/cm or less in Bonito creek and 1,500  $\mu$ S/cm or less in the Rio Ruidoso; phosphorus (unfiltered sample) less than 0.1 mg/L; the monthly geometric mean of *E. coli* bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less.

[20.6.4.209 NMAC - Rp 20 NMAC 6.1.2209, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012; A, 4/23/2022] [**NOTE:** The standards for Bonito lake are in 20.6.4.223 NMAC, effective 7/10/2012]

- 20.6.4.215 PECOS RIVER BASIN: Perennial reaches of the Gallinas river <u>upstream of the diversion</u> for the Las Vegas municipal reservoir, [and all its] perennial reaches of tributaries to the Gallinas river upstream of the diversion for the Las Vegas municipal reservoir, perennial reaches of Tecolote creek upstream of Blue creek[,] and all perennial <u>reaches of</u> tributaries [of] to Tecolote creek <u>upstream of Blue</u> creek.
- **A. Designated uses:** domestic water supply, high quality coldwater aquatic life, irrigation, livestock watering, wildlife habitat, industrial water supply and primary contact; and public water supply on the Gallinas river.

- **B.** Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: specific conductance 300  $\mu$ S/cm or less (450  $\mu$ S/cm or less in Wright Canyon creek); the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less.
- [20.6.4.215 NMAC Rp 20 NMAC 6.1.2212, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 2/13/2018; A, 4/23/2022] [**NOTE:** This segment was divided effective 2/13/2018. The standards for Tecolote creek from I-25 to Blue creek are under 20.6.4.230 NMAC.]
- 20.6.4.220 PECOS RIVER BASIN: Perennial reaches of the Gallinas river and [its] perennial reaches of tributaries to the Gallinas river from its mouth upstream to the diversion for the Las Vegas municipal reservoir, except Pecos Arroyo.
- **A. Designated uses:** irrigation, livestock watering, wildlife habitat, marginal coldwater aquatic life and primary contact.
- **B.** Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criterion applies: temperature 30°C (86°F) or less. [20.6.4.220 NMAC N, 5/23/2005; A, 12/1/2010; A, 4/23/2022]
- 20.6.4.231 PECOS RIVER BASIN: The main stem of the Pecos river from the headwaters of Brantley reservoir upstream to Salt creek (near Acme), perennial reaches of the Rio Peñasco downstream from state highway 24 near Dunken, perennial reaches of North Spring river and perennial reaches of the Rio Hondo downstream of Bonney canyon.
- A. Designated uses: irrigation, livestock watering, wildlife habitat, primary contact and warmwater aquatic life.
  - B. Criteria:
- (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses.
- (2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 6,000 mg/L or less.

  [20.6.4.231 NMAC N, 4/23/2022]
- 20.6.4.307 CANADIAN RIVER BASIN: Perennial reaches of the Mora river from the USGS gaging station near Shoemaker upstream to the state highway 434 bridge in Mora, all perennial reaches of tributaries to the Mora river downstream from the USGS gaging station at La Cueva in San Miguel and Mora counties except lakes identified in 20.6.4.313 NMAC, perennial reaches of Ocate creek downstream of Ocate, [and its] perennial reaches of tributaries to Ocate creek downstream of Ocate, and perennial reaches of Rayado creek downstream of Miami lake diversion in Colfax county.
- **A. Designated uses:** marginal coldwater aquatic life, warmwater aquatic life, primary contact, irrigation, livestock watering and wildlife habitat.
- **B. Criteria:** the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses.
- [20.6.4.307 NMAC Rp 20 NMAC 6.1.2305.3, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012; A, 4/23/2022]
- 20.6.4.309 CANADIAN RIVER BASIN: The Mora river and perennial reaches of its tributaries upstream from the state highway 434 bridge in Mora except lakes identified in 20.6.4.313 NMAC, all perennial reaches of tributaries to the Mora river upstream from the USGS gaging station at La Cueva, perennial reaches of Coyote creek, [and its] perennial reaches of tributaries to Coyote creek, the Cimarron river above state highway 21 in Cimarron, [and its] perennial reaches of tributaries to the Cimarron river above state highway 21 in Cimarron except Eagle Nest lake, all perennial reaches of tributaries to the Cimarron river north and northwest of highway 64 except north and south Shuree ponds, perennial reaches of Rayado creek above Miami lake diversion, [and its] perennial reaches of tributaries to Rayado creek above Miami lake diversion, Ocate creek and perennial reaches of its tributaries upstream of Ocate, perennial reaches of the Vermejo river upstream from Rail canyon and all other perennial reaches of tributaries to the Canadian river northwest and north of U.S. highway 64 in Colfax county unless included in other segments.

- **A. Designated uses:** domestic water supply, irrigation, high quality coldwater aquatic life, livestock watering, wildlife habitat, and primary contact; and public water supply on the Cimarron river upstream from Cimarron, [and] on perennial reaches of Rayado creek and on perennial reaches of [its] tributaries to Rayado creek.
- **B. Criteria:** the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: specific conductance 500 μS/cm or less; the monthly geometric mean of *E. coli* bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. [20.6.4.309 NMAC Rp 20 NMAC 6.1.2306, 10/12/2000; A, 7/19/2001; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012; A, 4/23/2022]

[NOTE: The segment covered by this section was divided effective 5/23/2005. The standards for the additional segment are under 20.6.4.310 NMAC. The standards for Shuree ponds are in 20.6.4.314 NMAC and the standards for Eagle Nest lake are in 20.6.4.315 NMAC, effective 7/10/2012]

#### 20.6.4.311 CANADIAN RIVER BASIN: Lake Alice.

- **A. Designated uses:** marginal coldwater aquatic life, irrigation, livestock watering, wildlife habitat, primary contact and public water supply.
- **B. Criteria:** the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses.

[20.6.4.311 NMAC - N, 12/1/2010; A, 4/23/2022]

## 20.6.4.312 <u>CANADIAN RIVER BASIN:</u> Lake Maloya.

- **A. Designated uses:** coldwater aquatic life, irrigation, livestock watering, wildlife habitat, primary contact and public water supply.
- **B. Criteria:** the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses.

[20.6.4.312 NMAC - N, 12/1/2010; A, 4/23/2022]

#### 20.6.4.318 CANADIAN RIVER BASIN: Doggett creek.

- **A. Designated uses:** Warm water aquatic life, livestock watering, wildlife habitat and primary contact.
- **B.** Criteria: The use-specific criteria in 20.6.4.900 NMAC are applicable to the designated uses, except that the following site-specific criteria apply: the monthly geometric mean of E. coli bacteria 206 cfu/100 mL or less, single sample 940 cfu/100 mL or less.
  - C. Discharger-specific temporary standard:
    - (1) **Discharger:** City of Raton wastewater treatment plant
    - (2) NPDES permit number: NM0020273, Outfall 001
    - (3) Receiving waterbody: Doggett creek. 20.6.4.318 NMAC
    - (4) **Discharge latitude/longitude:** 36° 52′ 13.91″ N / 104° 25′ 39.18″ W
    - (5) **Pollutant(s):** nutrients; total nitrogen and total phosphorus
    - (6) Factor of issuance: substantial and widespread economic and social impacts (40 CFR

131.10(g)(6)

- (7) **Highest attainable condition:** interim effluent condition of 8.0 mg/L total nitrogen and 1.6 mg/L total phosphorus as 30-day averages. The highest attainable condition shall be either the highest attainable condition identified at the time of the adoption, or any higher attainable condition later identified during any reevaluation, whichever is more stringent (40 CFR 131.14(b)(1)(iii)).
- (8) Effective date of temporary standard: This temporary standard becomes effective for Clean Water Act purposes on the date of EPA approval.
  - (9) Expiration date of temporary standard: no later than 20 years from the effective date.
- (10) Reevaluation period: at each succeeding review of water quality standards and at least once every five years from the effective date of the temporary standard (Paragraph (8) of Subsection H of 20.6.4.10[.F (8)] NMAC, 40 CFR 131.14(b)(1)(v)). If the discharger cannot demonstrate that sufficient progress has been made the commission may revoke approval of the temporary standard or provide additional conditions to the approval of the temporary standard. If the reevaluation is not completed at the frequency specified or the Department does not submit the reevaluation to EPA within 30 days of completion, the underlying designated use and criterion will be the applicable water quality standard for Clean Water Act purposes until the Department completes and submits the reevaluation to EPA. Public input on the reevaluation will be invited during NPDES

permit renewals or triennial reviews, as applicable, in accordance with the State's most current approved water quality management plan and continuing planning process.

(11) Timeline for proposed actions. Tasks and target completion dates are listed in the most recent, WQCC-approved version of the New Mexico Environment Department, Surface Water Quality Bureau's "Nutrient Temporary Standards for City of Raton Wastewater Treatment Plant, NPDES No. NM0020273 to Doggett Creek."

[20.6.4.318 NMAC - N, 05/22/2020; A, 4/23/2022]

## 20.6.4.405 SAN JUAN RIVER BASIN: The main stem of the San Juan river from [Canyon] Cañon Largo upstream to the Navajo dam.

- **A. Designated uses:** high quality coldwater aquatic life, irrigation, livestock watering, wildlife habitat, public water supply, industrial water supply and primary contact.
- **B.** Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: specific conductance 400  $\mu$ S/cm or less; the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. [20.6.4.405 NMAC Rp 20 NMAC 6.1.2405, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022]

# 20.6.4.408 SAN JUAN RIVER BASIN: The main stem of the San Juan river from its confluence with the Animas river upstream to its confluence with [Canyon] Cañon Largo.

- **A. Designated uses:** public water supply, industrial water supply, irrigation, livestock watering, wildlife habitat, primary contact, marginal coldwater aquatic life and warmwater aquatic life.
- **B.** Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criterion applies: temperature 32.2°C (90°F) or less. [20.6.4.408 NMAC N, 5/23/2005; A, 12/1/2010; A, 4/23/2022]

# 20.6.4.900 CRITERIA APPLICABLE TO EXISTING, DESIGNATED OR ATTAINABLE USES UNLESS OTHERWISE SPECIFIED IN 20.6.4.97 THROUGH 20.6.4.899 NMAC:

- **A. Fish culture and water supply:** Fish culture, public water supply and industrial water supply are designated uses in particular classified waters of the state where these uses are actually being realized. However, no numeric criteria apply uniquely to these uses. Water quality adequate for these uses is ensured by the general criteria and numeric criteria for bacterial quality, pH and temperature.
- **B. Domestic water supply:** Surface waters of the state designated for use as domestic water supplies shall not contain substances in concentrations that create a lifetime cancer risk of more than one cancer per 100,000 exposed persons. Those criteria listed under domestic water supply in Subsection J of this section apply to this use.
- **C.** Irrigation and irrigation storage: the following numeric criteria and those criteria listed under irrigation in Subsection J of this section apply to this use:
  - (1) dissolved selenium

- 0.13 mg/L
- (2) dissolved selenium in presence of >500 mg/L SO<sub>4</sub> 0.25 mg/L.
- **D. Primary contact:** The monthly geometric mean of E. coli bacteria of 126 cfu/100 mL or MPN/100 ml, [and] a single sample of E. coli bacteria of 410 cfu/100 mL or MPN/100 mL, a single sample of total microcystins of 8  $\mu$ g/L with no more than three exceedances within a 12-month period and a single sample of cylindrospermopsin of 15  $\mu$ g/L with no more than three exceedances within a 12-month period, and pH within the range of 6.6 to 9.0 apply to this use. The results for *E. coli* may be reported as either colony forming units (CFU) or the most probable number (MPN) depending on the analytical method used.
- **E. Secondary contact:** The monthly geometric mean of E. coli bacteria of 548 cfu/100 mL or MPN/100 mL and single sample of 2507 cfu/100 mL or MPN/100 mL apply to this use. The results for *E. coli* may be reported as either colony forming units (CFU) or the most probable number (MPN), depending on the analytical method used.
- **F. Livestock watering:** the criteria listed in Subsection J of this section for livestock watering apply to this use.
- **G.** Wildlife habitat: Wildlife habitat shall be free from any substances at concentrations that are toxic to or will adversely affect plants and animals that use these environments for feeding, drinking, habitat or propagation; can bioaccumulate; or might impair the community of animals in a watershed or the ecological integrity of surface waters of the state. The numeric criteria listed in Subsection J for wildlife habitat apply to this use.

- **H.** Aquatic life: Surface waters of the state with a designated, existing or attainable use of aquatic life shall be free from any substances at concentrations that can impair the community of plants and animals in or the ecological integrity of surface waters of the state. Except as provided in Paragraph (7) of this subsection, the acute and chronic aquatic life criteria set out in Subsections I, J, K and L of this section and the human health-organism only criteria set out in Subsection J of this section are applicable to all aquatic life use subcategories. In addition, the specific criteria for aquatic life subcategories in the following paragraphs apply to waters classified under the respective designations.
- (68°F), maximum temperature 23°C (73°F), pH within the range of 6.6 to 8.8 and specific conductance a segment-specific limit between 300  $\mu$ S/cm and 1,500  $\mu$ S/cm depending on the natural background in the particular surface water of the state (the intent of this criterion is to prevent excessive increases in dissolved solids which would result in changes in community structure). Where a single segment-specific temperature criterion is indicated in 20.6.4.101-899 NMAC, it is the maximum temperature and no 4T3 temperature applies.
- (2) Coldwater: dissolved oxygen 6.0 mg/L or more, 6T3 temperature 20°C (68°F), maximum temperature 24°C (75°F) and pH within the range of 6.6 to 8.8. Where a single segment-specific temperature criterion is indicated in 20.6.4.101-899 NMAC, it is the maximum temperature and no 6T3 temperature applies.
- (3) Marginal coldwater: dissolved oxygen 6 mg/L or more, 6T3 temperature 25°C (77°F), maximum temperature 29°C (84°F) and pH within the range from 6.6 to 9.0. Where a single segment-specific temperature criterion is indicated in 20.6.4.101-899 NMAC, it is the maximum temperature and no 6T3 temperature applies.
- (4) Coolwater: dissolved oxygen 5.0 mg/L or more, maximum temperature  $29^{\circ}\text{C}$  ( $84^{\circ}\text{F}$ ) and pH within the range of 6.6 to 9.0.
- (5) Warmwater: dissolved oxygen 5 mg/L or more, maximum temperature 32.2°C (90°F) and pH within the range of 6.6 to 9.0. Where a segment-specific temperature criterion is indicated in 20.6.4.101-899 NMAC, it is the maximum temperature.
- (6) Marginal warmwater: dissolved oxygen 5 mg/L or more, pH within the range of 6.6 to 9.0 and [maximum temperature] temperatures that may routinely exceed 32.2°C (90°F). Where a segment-specific temperature criterion is indicated in 20.6.4.101-899 NMAC, it is the maximum temperature.
- (7) **Limited aquatic life:** The acute aquatic life criteria of Subsections I and J of this section apply to this subcategory. Chronic aquatic life criteria do not apply unless adopted on a segment-specific basis. Human health-organism only criteria apply only for persistent <u>toxic</u> pollutants unless adopted on a segment-specific basis.
- I. Hardness-dependent acute and chronic aquatic life criteria for metals are calculated using the following equations. The criteria are expressed as a function of [dissolved] hardness (as mg CaCO<sub>3</sub>/L). With the exception of aluminum, the equations are valid only for [dissolved] hardness concentrations of 0-400 mg/L. For [dissolved] hardness concentrations above 400 mg/L, the criteria for 400 mg/L apply. For aluminum the equations are valid only for [dissolved] hardness concentrations of 0-220 mg/L. For [dissolved] hardness concentrations above 220 mg/L, the aluminum criteria for 220 mg/L apply. Calculated criteria must adhere to the treatment of significant figures and rounding identified in Standard Methods For The Examination Of Water And Wastewater, latest edition, American public health association.
- (1) Acute aquatic life criteria for metals: The equation to calculate acute criteria in  $\mu$ g/L is  $\exp(m_A[\ln(\text{hardness})] + b_A)(CF)$ . Except for aluminum, the criteria are based on analysis of dissolved metal. For aluminum, the criteria are based on analysis of total recoverable aluminum in a sample that <u>has a pH between 6.5 and 9.0 and</u> is filtered to minimize mineral phases as specified by the department. [The EPA has disapproved the hardness based equation for total recoverable aluminum in waters where the pH is less than 6.5 in the receiving stream for federal purposes of the Clean Water Act.] The equation parameters are as follows:

Metal	m <sub>A</sub>	b <sub>A</sub>	Conversion factor (CF)
Aluminum (Al)	1.3695	1.8308	
Cadmium (Cd)	[ <del>0.8968</del> ] <u>0.9789</u>	[ <del>-3.5699</del> ] <u>-</u>	1.136672-[(ln hardness)(0.041838)]
		<u>3.866</u>	
Chromium (Cr) III	0.8190	3.7256	0.316
Copper (Cu)	0.9422	-1.700	0.960
Lead (Pb)	1.273	-1.460	1.46203-[(ln hardness)(0.145712)]
Manganese (Mn)	0.3331	6.4676	

Nickel (Ni)	0.8460	2.255	0.998
Silver (Ag)	1.72	-6.59	0.85
Zinc (Zn)	0.9094	0.9095	0.978

(2) Chronic aquatic life criteria for metals: The equation to calculate chronic criteria in µg/L is exp(m<sub>C</sub>[ln(hardness)] + b<sub>C</sub>)(CF). Except for aluminum, the criteria are based on analysis of dissolved metal. For aluminum, the criteria are based on analysis of total recoverable aluminum in a sample that <u>has a pH between 6.5 and 9.0 and</u> is filtered to minimize mineral phases as specified by the department. [The EPA has disapproved the hardness based equation for total recoverable aluminum in waters where the pH is less than 6.5 in the receiving stream for federal purposes of the Clean Water Act.] The equation parameters are as follows:

Metal	m <sub>C</sub>	bc	Conversion factor (CF)
Aluminum (Al)	1.3695	0.9161	
Cadmium (Cd)	[ <del>0.7647</del> ] <u>0.7977</u>	[- <del>4.2180</del> ] <u>-</u>	1.101672-[(ln hardness)(0.041838)]
		3.909	
Chromium (Cr) III	0.8190	0.6848	0.860
Copper (Cu)	0.8545	-1.702	0.960
Lead (Pb)	1.273	-4.705	1.46203-[(ln hardness)(0.145712)]
Manganese (Mn)	0.3331	5.8743	
Nickel (Ni)	0.8460	0.0584	0.997
Zinc (Zn)	0.9094	0.6235	0.986

(3) Selected values of calculated acute and chronic criteria ( $\mu g/L$ ).

	1	1	1			1	Πιεπα (μg/L).			l
Hardness as										
CaCO <sub>3</sub> ,										
dissolved										
(mg/L)		Al	Cd	Cr III	Cu	Pb	Mn	Ni	Ag	Zn
			[0.51]	$[\frac{180}{1}]$	[4]	[ <del>14</del> ]			[0.3]	[ <del>45</del> ]
[25] 25 0	Acute	512	0.490	<u>183</u>	<u>3.64</u>	<u>13.9</u>	[ <del>1,881</del> ] <u>1,880</u>	[ <del>140</del> ] <u>145</u>	0.30	<u>45.4</u>
[ <del>25</del> ] <u>25.0</u>			[0.17]	[ <del>24</del> ]	[ <del>3</del> ]	[ <del>1</del> ]				[34]
	Chronic	205	<u>0.253</u>	<u>23.8</u>	<u>2.74</u>	<u>0.541</u>	1,040	[ <del>16</del> ] <u>16.1</u>		<u>34.4</u>
			[0.59]	[ <del>210</del> ]	[4]	[ <del>17</del> ]			[0.4]	[ <del>54</del> ]
[ <del>30</del> ] <u>30.0</u>	Acute	658	<u>0.581</u>	<u>212</u>	<u>4.32</u>	<u>17.0</u>	[ <del>1,999</del> ] <u>2,000</u>	[ <del>170</del> ] <u>169</u>	<u>0.40</u>	<u>53.5</u>
[ <del>30</del> ] <u>30.0</u>			[0.19]	[ <del>28</del> ]	[ <del>3</del> ]	[ <del>1</del> ]	[ <del>1,105</del> ]			[41]
	Chronic	263	0.290	<u>27.6</u>	3.20	0.664	<u>1,100</u>	[ <del>19</del> ] <u>18.8</u>		<u>40.5</u>
			[0.76]	[ <del>270</del> ]	[ <del>6</del> ]	[ <del>24</del> ]			[0.7]	[ <del>70</del> ]
[40] 40 0	Acute	975	0.761	<u>269</u>	<u>5.67</u>	<u>23.5</u>	2,200	[ <del>220</del> ]- <u>216</u>	0.66	<u>69.5</u>
[ <del>40</del> ] <u>40.0</u>			[0.23]	[ <del>35</del> ]	[4]	[ <del>1</del> ]	[ <del>1,216</del> ]			[ <del>53</del> ]
	Chronic	391	0.360	<u>35.0</u>	4.09	<u>0.916</u>	<u>1,220</u>	[ <del>24</del> ] <u>24.0</u>		<u>52.7</u>
		$[\frac{1,324}{}]$	[0.91]	[ <del>320</del> ]	[ <del>7</del> ]	[ <del>30</del> ]			[ <del>1.0</del> ]	[ <del>85</del> ]
[ <del>50</del> ] <u>50.0</u>	Acute	<u>1,320</u>	<u>0.938</u>	<u>323</u>	<u>6.99</u>	<u>30.1</u>	2,370	260	<u>0.98</u>	<u>85.2</u>
[ <del>30</del> ] <u>30.0</u>			[0.28]	[ <del>42</del> ]	[ <del>5</del> ]	[ <del>1</del> ]	[ <del>1,309</del> ]			[ <del>65</del> ]
	Chronic	530	<u>0.426</u>	<u>42.0</u>	<u>4.95</u>	<u>1.17</u>	<u>1,310</u>	[ <del>29</del> ] <u>28.9</u>		<u>64.5</u>
		$[\frac{1,699}{}]$	$[\frac{1.07}{}]$	[ <del>370</del> ]	[8]	[ <del>37</del> ]	[ <del>2,519</del> ]			[ <del>101</del> ]
5601.60.0	Acute	<u>1,700</u>	<u>1.11</u>	<u>375</u>	<u>8.30</u>	<u>36.9</u>	<u>2,520</u>	[ <del>300</del> ] <u>304</u>	1.3	<u>100</u>
[ <del>60</del> ] <u>60.0</u>			[0.31]	[ <del>49</del> ]	[ <del>6</del> ]	[ <del>1</del> ]	[ <del>1,391</del> ]			[ <del>76</del> ]
	Chronic	681	0.489	48.8	5.79	1.44	1,390	[ <del>34</del> ] <u>33.8</u>		76.2
	Cinome	[ <del>2,099</del> ]	[1.22]	[ <del>430</del> ]	[10]	[44]	[ <del>2,651</del> ]	[51] <u>55.6</u>		70.2
	Acute	2,100	1.28	425	9.60	43.7	2,650	[ <del>350</del> ]- <u>346</u>	1.7	116
[ <del>70</del> ] <u>70.0</u>	Tieute	2,100	[0.35]	[ <del>55</del> ]	[7]	[ <del>2</del> ]	[ <del>1,465</del> ]	[550] <u>510</u>	1.,	[88]
	Chronic	841	0.549	55.3	6.60	1.70	1,460	[ <del>38</del> ] <u>38.5</u>		87.6
	3111 31110		[1.37]	[ <del>470</del> ]	[11]	[ <del>51</del> ]	[ <del>2,772</del> ]	[= 0] = 0.0		27.0
	Acute	2,520	1.46	474	10.9	50.6	2,770	[ <del>390</del> ] <u>388</u>	2.2	131
[ <del>80</del> ] <u>80.0</u>		,	[0.39]	[ <del>62</del> ]	[7]	[ <del>2</del> ]	[ <del>1,531</del> ]	L J <u></u>	<del></del>	[ <del>99</del> ]
	Chronic	1,010	0.607	61.7	7.40	1.97	1,530	[ <del>43</del> ] <u>43.0</u>		98.9
L	2	-,010	<u> </u>	<u> </u>	<u> </u>	<u> </u>	-,200	[.2] <u>.2.0</u>	L	<u>- 0.,,</u>

Hardness as										
CaCO <sub>3</sub> ,										
dissolved										
(mg/L)		Al	Cd	Cr III	Cu	Pb	Mn	Ni	Ag	Zn
		$[\frac{2,961}{}]$	$[\frac{1.51}{1}]$	[ <del>520</del> ]	[ <del>12</del> ]	[ <del>58</del> ]	[ <del>2,883</del> ]	[ <del>430</del> ]		
[ <del>90</del> ] <u>90.0</u>	Acute	<u>2,960</u>	<u>1.62</u>	<u>523</u>	12.2	<u>57.6</u>	<u>2,880</u>	<u>428</u>	2.7	145
[50] <u>50.0</u>		$[\frac{1,186}{}]$	[0.42]	[ <del>68</del> ]	[8]	[ <del>2</del> ]	[ <del>1,593</del> ]			
	Chronic	<u>1,190</u>	<u>0.664</u>	<u>68.0</u>	<u>8.18</u>	<u>2.24</u>	<u>1,590</u>	[ <del>48</del> ] <u>47.6</u>		110
		$[\frac{3,421}{}]$	$[\frac{1.65}{1}]$		[ <del>13</del> ]	[ <del>65</del> ]	[ <del>2,986</del> ]	[ <del>470</del> ]		
100	Acute	<u>3,420</u>	<u>1.79</u>	570	<u>13.4</u>	<u>64.6</u>	<u>2,980</u>	<u>468</u>	3.2	160
100			[0.45]	[ <del>74</del> ]	[ <del>9</del> ]	[ <del>3</del> ]				
	Chronic	1,370	<u>0.718</u>	<u>74.1</u>	<u>8.96</u>	<u>2.52</u>	1,650	[ <del>52</del> ] <u>52.0</u>		121
		[8,838]	$[\frac{2.98}{2}]$	$[\frac{1,010}{}]$	[ <del>26</del> ]	[ <del>140</del> ]	[ <del>3,761</del> ]	[ <del>840</del> ]	[11]	[ <del>301</del> ]
200	Acute	<u>8,840</u>	<u>3.43</u>	1,000	<u>25.8</u>	<u>136</u>	<u>3,760</u>	<u>842</u>	<u>10</u>	<u>300</u>
200		[3,541]	[0.75]	[ <del>130</del> ]	[ <del>16</del> ]	[ <del>5</del> ]	$[\frac{2,078}{}]$			
	Chronic	<u>3,540</u>	<u>1.21</u>	<u>131</u>	<u>16.2</u>	<u>5.30</u>	<u>2,080</u>	[ <del>90</del> ] <u>93.5</u>		228
		$[\frac{10,071}{}]$	[3.23]	$[\frac{1,087}{}]$	[ <del>28</del> ]		[ <del>3,882</del> ]		[ <del>13</del> ]	
220	Acute	10,100	3.74	1,090	28.2	151	<u>3,880</u>	912	<u>12</u>	328
220		[4,035]	[0.80]		[ <del>18</del> ]	[ <del>6</del> ]	[2,145]			
	Chronic	<u>4,030</u>	<u>1.30</u>	141	<u>17.6</u>	<u>5.87</u>	<u>2,140</u>	101		248
			[4.21]		[ <del>38</del> ]	[ <del>210</del> ]	[4 <del>,305</del> ]			[ <del>435</del> ]
200	Acute		5.00	1,400	37.8	208	4,300	[ <del>1190</del> ]1.190	21	434
300	Acute		[ <del>1.00</del> ]	[ <del>180</del> ]	[ <del>23</del> ]	[ <del>8</del> ]	[ <del>2,379</del> ]	[ <del>1130</del> ]1,130	21	434
	Chronic		1.64	182	22.9	8.13	$\frac{[2,375]}{2,380}$	132		329
	Chronic		[ <del>5.38</del> ]	102	[ <del>50</del> ]	[ <del>280</del> ]	[4 <del>,738</del> ]	[ <del>1510</del> ]		343
400 and	Acute		6.54	1,770	49.6	281	4,740	1,510	35	564
above	1 icute		[1.22]	[ <del>230</del> ]	[ <del>29</del> ]	[ <del>11</del> ]	[ <del>2,618</del> ]	[ <del>170</del> ]	33	JUT
above	Chronic		2.03	231	29.3	10.9	2,620	168		428
	Chronic		<u> 4.03</u>	<u> 431</u>	47.3	10.5	<u>4,040</u>	100		<del>ب</del> ∠ن

## J. Use-specific numeric criteria.

(1) Table of numeric criteria: The following table sets forth the numeric criteria applicable to existing, designated and attainable uses. For metals, criteria represent the total sample fraction unless otherwise specified in the table. Additional criteria that are not compatible with this table are found in Subsections A through I, K and L of this section.

						Aquatic	Life		
Pollutant	CAS Number	DWS	Irr <u>/Irr</u> storage	LW	WH	Acute	Chronic	НН-ОО	Type
Aluminum, dissolved	7429-90-5		5,000			750 i	<u>87 i</u>		
Aluminum, total recoverable	7429-90-5					a	a		
Antimony, dissolved	7440-36-0	6						640	P
Arsenic, dissolved	7440-38-2	10	100	200		340	150	9.0	C,P
Asbestos	1332-21-4	7,000,000 fibers/L							
Barium, dissolved	7440-39-3								
Beryllium, dissolved	7440-41-7								
Boron, dissolved	7440-42-8		750	5,000					
Cadmium, dissolved	7440-43-9	5	10	50		a	a		
	1688-70-								
<u>Chloride</u>	<u>06</u>					860,000	230,000		
Chlorine residual	7782-50-5				11	19	11		
	16065-83-								
Chromium III, dissolved	1					a	a		
	18540-29-								
Chromium VI, dissolved	9					16	11		

Dollardond	CAS		T/T			Aquati	c Life		1
Pollutant	CAS Number	DWS	Irr <u>/Irr</u> storage	LW	WH	Acute	Chronic	НН-ОО	Type
Chromium, dissolved	7440-47-3	100	100	1,000					
Cobalt, dissolved	7440-48-4		50	1,000					
Copper, dissolved	7440-50-8	1300	200	500		a	a		
Cyanide, total recoverable	57-12-5	200			5.2	22.0	5.2	[ <del>140</del> ] <u>400</u>	
<u>Iron</u>	7439-89-6						1,000		
Lead, dissolved	7439-92-1	15	5,000	100		a	a		
Manganese, dissolved	7439-96-5					a	a		
Mercury	7439-97-6	2		10	0.77				
Mercury, dissolved	7439-97-6					1.4	0.77		
<u>, , , , , , , , , , , , , , , , , , , </u>	22967-92-							0.3 mg/kg in fish	
Methylmercury	6							tissue	P
Molybdenum, dissolved	7439-98-7		1,000						
Molybdenum, total recoverable	7439-98-7					7,920	1,895		
Nickel, dissolved	7440-02-0	700				a	a	4,600	P
Nitrate as N		10 mg/L							
Nitrite + Nitrate				132 mg/L					
Selenium, dissolved	7782-49-2	50	b	50				4,200	P
Selenium, total recoverable	7782-49-2				5.0	20.0	5.0		
Silver, dissolved	7440-22-4					a			
Thallium, dissolved	7440-28-0	2						0.47	P
Uranium, dissolved	7440-61-1								
Vanadium, dissolved	7440-62-2		100	100					
Zinc, dissolved	7440-66-6		2,000	25,000		a	a	26,000	P
	7 110 00 0	10,000		15		-		20,000	Ī
Adjusted gross alpha		15 pCi/L		pCi/L 30.0					
Radium 226 + Radium 228		5 pCi/L		pCi/L					
Strontium 90		8 pCi/L		pCI/L					
Strontium 90		20,000		20,000					
Tritium		pCi/L		pCi/L					
Acenaphthene	83-32-9	2,100		pci/L				[ <del>990</del> ] <u>90</u>	
Acrolein		18				3.0	3.0	[ <del>930</del> ] <u>30</u> [ <del>9</del> ] <u>400</u>	
Acrylonitrile		0.65				3.0	3.0	[ <del>2.5</del> ] <u>70</u>	С
Actylollune	107-13-1	0.03						$[\frac{2.3}{0.00050}]$	<u> </u>
Aldrin	309-00-2	0.021				3.0		0.0000077	C,P
Anthracene	120-12-7	10,500						[ <del>40,000</del> ] 400	
Benzene	71-43-2	5					1	[ <del>510</del> ] <u>160</u>	С
								[0.0020]	
Benzidine	92-87-5	0.0015						0.11	C
								[0.18]	
Benzo(a)anthracene	56-55-3	0.048						0.013	C
								[0.18]	
Benzo(a)pyrene	50-32-8	0.2						0.0013	C,P
								[0.18]	
Benzo(b)fluoranthene	205-99-2	0.048						0.013	C
Benzo(k)fluoranthene		0.048						[ <del>0.18</del> ] <u>0.13</u>	
								[0.049]	
alpha-BHC	319-84-6	0.056			<u></u>			0.0039	C

D-11-44	CAS		T (T			Aquati	ic Life		
Pollutant	CAS Number	DWS	Irr <u>/Irr</u> storage	LW	WH	Acute	Chronic	НН-ОО	Туре
beta-BHC	319-85-7	0.091						[ <del>0.17</del> ] <u>0.14</u>	С
[Gamma] gamma-BHC (Lindane)	58-89-9	0.20				0.95		[ <del>1.8</del> ] <u>4.4</u>	
Bis(2-chloroethyl) ether		0.30						[ <del>5.3</del> ] <u>22</u>	С
Bis([ <del>2 chloroisopropyl</del> ] <u>2-chloro-</u>								[65,000]	
1-methylethyl) ether		1,400						4,000	
Bis(2-ethylhexyl) phthalate	+	6						[ <del>22</del> ] <u>3.7</u>	С
Bis(chloromethyl) ether	542-88-1	U						0.17	C
<u>Bis(cinorometriyi) etner</u>	342-00-1				+			[ <del>1,400</del> ]	<u></u>
  Bromoform	75-25-2	44						1,200	$\sim$
Butylbenzyl phthalate	85-68-7	7,000			+			[ <del>1,900</del> ] <u>1</u>	C
Carbaryl	63-25-2	7,000				2.1	2.1	[ <del>1,900</del> ] <u>1</u>	<u> </u>
Carbaryi Carbon tetrachloride		5				<u>Z.1</u>	<u>Z.1</u>	[16] 50	С
Carbon tetrachioride	56-23-5	5			-			[ <del>16</del> ] <u>50</u>	C
	57.74.0	2				2.4	0.0042	[0.0081]	G D
Chlordane	57-74-9	2				2.4	0.0043	0.0032	C,P
Chlorobenzene	108-90-7	100			_			[ <del>1,600</del> ] <u>800</u>	
Chlorodibromomethane	124-48-1	4.2						[ <del>130</del> ] <u>210</u>	С
								[4,700]	
Chloroform		57						2,000	[ <del>€</del> ]
<u>Chlorpyrifos</u>	2921-88-2					0.083	0.041		
								$[\frac{1,600}{}]$	
2-Chloronaphthalene		2,800						<u>1,000</u>	
2-Chlorophenol	95-57-8	175						[ <del>150</del> ] <u>800</u>	
Chrysene	218-01-9	0.048						[ <del>0.18</del> ] <u>1.3</u>	С
<u>Demeton</u>	8065-48-3						0.1		
Diazinon	333-41-5					0.17	0.17		
2,4-Dichlorophenoxyacetic acid	94-75-7							12,000	
Dichlorodiphenyldichloroethane									
(DDD)	72-54-8							0.0012	C
Dichlorodiphenyldichloroethylene									
(DDE)	72-55-9							0.00018	C
Dichlorodiphenyltrichloroethane									
(DDT)	50-29-3							0.0003	C,P
4,4'-DDT and derivatives		1.0			0.001	1.1	0.001	[0.0022]	[ <del>C,P</del> ]
,								[0.18]	L - 7 J
Dibenzo(a,h)anthracene	53-70-3	0.048						0.0013	C
Dibutyl phthalate	84-74-2	3,500						[4,500] 30	
2 is any 1 promanant	0.7.2	,,,,,,						[ <del>1,300</del> ]	
1,2-Dichlorobenzene	95-50-1	600						3,000	
1,3-Dichlorobenzene		469						[ <del>960</del> ] 10	
1,4-Dichlorobenzene		75						[ <del>190</del> ] 900	
3,3'-Dichlorobenzidine	91-94-1	0.78		<u> </u>			+	[ <del>0.28</del> ] <u>1.5</u>	С
Dichlorobromomethane	75-27-4	5.6					+	[ <del>0.28</del> ] <u>1.3</u> [ <del>170</del> ] 270	C
1,2-Dichloroethane	107-06-2	5					+	[ <del>370</del> ] <u>270</u>	_
1,2-Dichioroemane	107-00-2	J		-			+	[ <del>3/0</del> ] <u>6,300</u> [ <del>7,100</del> ]	<u>r</u>
1 1 Diabloroothylans	75 25 4	7							[C]
1,1-Dichloroethylene	75-35-4	7		-			+	20,000	[ <del>C</del> ]
2,4-Dichlorophenol	120-83-2	105					+	[ <del>290</del> ] <u>60</u>	C
1,2-Dichloropropane		5.0						[ <del>150</del> ] <u>310</u>	C
1,3-Dichloropropene	542-75-6	3.5						[ <del>210</del> ] <u>120</u>	C
L		0.00						[0.00054]	~ -
Dieldrin	60-57-1	0.022				0.24	0.056	0.000012	C,P

D-11-44	CAG		T/T			Aquati	ic Life		
Pollutant	CAS Number	DWS	Irr <u>/Irr</u> storage	LW	WH	Acute	Chronic	НН-ОО	Type
Diethyl phthalate	84-66-2	28,000						[ <del>44,000</del> ] 600	
	0.002	20,000						[1,100,000]	1
Dimethyl phthalate	131-11-3	350,000						2,000	1
2,4-Dimethylphenol		700						[ <del>850</del> ] 3,000	)
7	25550-58-							1	
Dinitrophenols	7							1,000	
2,4-Dinitrophenol	51-28-5	70						[ <del>5,300</del> ] <u>300</u>	)
2,4-Dinitrotoluene	121-14-2	1.1						[ <del>34</del> ] <u>17</u>	С
Dioxin	1746-01-6	3.0E-05						5.1E-08	C,P
1,2-Diphenylhydrazine		0.44						2.0	C
alpha-Endosulfan		62				0.22	0.056	[ <del>89</del> ] <u>30</u>	
. <u> </u>	33213-65-	1						[ J <u> </u>	
beta-Endosulfan		62				0.22	0.056	[ <del>89</del> ] <u>40</u>	
Endosulfan sulfate	1031-07-8							[ <del>89</del> ] 40	
							1	[ <del>0.060</del> ]	
Endrin	72-20-8	2				0.086	0.036	0.03	
Endrin aldehyde	7421-93-4	1				0.000	0.000	[0.30] 1	
Ethylbenzene		700						[ <del>2,100</del> ] 130	)
Fluoranthene		1,400						[ <del>140</del> ] 20	
Fluorene	86-73-7	1,400						[ <del>5,300</del> ] 70	
Guthion	86-50-0	1,400					0.01	[3,300] <u>70</u>	
Guinon	00-30-0						0.01	[0.00079]	
Heptachlor	76-44-8	0.40				0.52	0.0038	0.000059	C
Першенног	70-44-0	0.40				0.32	0.0030	[0.00039]	
Heptachlor epoxide	1024-57-3	0.20				0.52	0.0038	0.00032	C
								[0.0029]	
Hexachlorobenzene	118-74-1	1						0.00079	C,P
Hexachlorobutadiene	87-68-3	4.5						[ <del>180</del> ] <u>0.1</u>	C
Hexachlorocyclohexane (HCH)-									
<u>Technical</u>	608-73-1							<u>0.1</u>	<u>C</u>
Hexachlorocyclopen-tadiene	77-47-4	50						$[\frac{1,100}{4}]$	
Hexachloroethane	67-72-1	25						[ <del>33</del> ] <u>1</u>	C
								[0.18]	
Ideno(1,2,3-cd)pyrene	193-39-5	0.048						0.013	C
								$[\frac{9,600}{}]$	
Isophorone	78-59-1	368						18,000	C
<u>Malathion</u>	<u>121-75-5</u>						0.1		
<u>Methoxychlor</u>	<u>72-43-5</u>						0.03	0.02	
								[ <del>1,500</del> ]	
Methyl bromide	74-83-9	49						10,000	
3-Methyl-4-chlorophenol	<u>59-50-7</u>							2,000	
2-Methyl-4,6-dinitrophenol	534-52-1	14						[ <del>280</del> ] <u>30</u>	
Methylene chloride	75-09-2	5						[ <del>5,900</del> ] 10,000	C
Mirex	2385-85-5						0.001	10,000	С
Nitrobenzene	98-95-3	18					0.001	[ <del>690</del> ] 600	
		10					+	12.4	<u></u>
Nitrosamines	Various						1		<u>C</u>
Nitrosodibutylamine Nitrosodiethylamine	924-16-3 55-18-5						1	2.2 12.4	<u>C</u> C
							1	11 / /1	ĸ

	G A G		T /T			Aquati	ic Life		
Pollutant	CAS Number	DWS	Irr <u>/Irr</u> storage	LW	WH	Acute	Chronic	НН-ОО	Type
N-Nitrosodi-n-propylamine	621-64-7	0.050						5.1	С
N-Nitrosodiphenylamine	86-30-6	71						60	С
N-Nitrosopyrrolidine	930-55-2							340	С
	84852-15-								
Nonylphenol	3					28	6.6		
Parathion	56-38-2					0.065	0.013		
Polychlorinated Biphenyls	[ <del>1336-36</del>								
( <del>PCBs)</del> ]	<del>3</del> ]	[ <del>0.50</del> ]			[0.014]	[ <del>2</del> ]	[0.014]	[0.00064]	[ <del>C,P</del> ]
Pentachlorobenzene	608-93-5							0.1	
Pentachlorophenol	87-86-5	1.0				19	15	[ <del>30</del> ] <u>0.4</u>	С
•								[860,000]	
Phenol	108-95-2	10,500						300,000	
Polychlorinated Biphenyls									
(PCBs)	1336-36-3	0.50			0.014	2	0.014	0.00064	C,P
Pyrene	129-00-0	1,050						[ <del>4,000</del> ] <u>30</u>	
1,2,4,5-Tetrachlorobenzene	95-94-3							0.03	
1,1,2,2-Tetrachloroethane	79-34-5	1.8						[ <del>40</del> ] <u>30</u>	С
Tetrachloroethylene	127-18-4	5						[ <del>33</del> ] <u>290</u>	C,P
Toluene	108-88-3	1,000						[ <del>15,000</del> ] 520	
Toxaphene	8001-35-2	3				0.73	0.0002	[ <del>0.0028</del> ] 0.0071	С
1,2-Trans-dichloroethylene	156-60-5	100						[ <del>10,000</del> ] 4,000	
Tributyltin (TBT)	Various					0.46	0.072		
1,2,4-Trichlorobenzene	120-82-1	70						[ <del>70</del> ] <u>0.76</u>	C
1,1,1-Trichloroethane	71-55-6	200						200,000	
1,1,2-Trichloroethane	79-00-5	5						[ <del>160</del> ] <u>89</u>	С
Trichloroethylene	79-01-6	5						[ <del>300</del> ] <u>70</u>	С
2,4,5-Trichlorophenol	95-95-4							600	
2,4,6-Trichlorophenol	88-06-2	32						[ <del>24</del> ] <u>28</u>	С
2-(2,4,5-									
Trichlorophenoxy)propionic acid (Silvex)	93-72-1							400	
Vinyl chloride		2						[ <del>24</del> ] 16	С
v myr chioriae	13-01-4	<i>L</i>	1		1			[ <del>∠4</del> ] <u>10</u>	

- (2) Notes applicable to the table of numeric criteria in Paragraph (1) of this subsection.
- (a) Where the letter "a" is indicated in a cell, the criterion is hardness-based and can be referenced in Subsection I of 20.6.4.900 NMAC.
- **(b)** Where the letter "b" is indicated in a cell, the criterion can be referenced in Subsection C of 20.6.4.900 NMAC.
  - (c) Criteria are in  $\mu$ g/L unless otherwise indicated.
- (d) Abbreviations are as follows: CAS chemical abstracts service (see definition for "CAS number" in 20.6.4.7 NMAC); DWS domestic water supply; Irr/Irr storage- irrigation [ $\Theta$ ] and irrigation storage; LW livestock watering; WH wildlife habitat; HH-OO human health-organism only; C  $\Theta$ 0 cancer-causing endpoint; P persistent toxic pollutant.
- (e) The criteria are based on analysis of an unfiltered sample unless otherwise indicated. The acute and chronic aquatic life criteria for aluminum are based on analysis of total recoverable aluminum in a sample that is filtered to minimize mineral phases as specified by the department.
- (f) The criteria listed under human health-organism only (HH-OO) are intended to protect human health when aquatic organisms are consumed from waters containing pollutants. These criteria do

not protect the aquatic life itself; rather, they protect the health of humans who ingest fish or other aquatic organisms.

(g) The dioxin criteria apply to the sum of the dioxin toxicity equivalents expressed as 2.3.7.8-TCDD dioxin.

(h) The criteria for polychlorinated biphenyls (PCBs) apply to the sum of all congeners, to the sum of all homologs or to the sum of all aroclors.

(i) The acute and chronic aquatic life criteria for dissolved aluminum only apply when the concurrent pH is less than 6.5 or greater than 9.0 S.U. If the concurrent pH is between 6.5 and 9.0 S.U. then the hardness-dependent total recoverable aluminum criteria in Paragraphs (1) and (2) of Subsection I of 20.6.4.900 NMAC apply.

[K. Acute aquatic life criteria for total ammonia are dependent on pH and the presence or absence of salmonids. The criteria in mg/L as N based on analysis of unfiltered samples are as follows:

p₩	Where Salmonids Present	Where Salmonids Absent
6.5 and below	<del>32.6</del>	48.8
6.6	31.3	46.8
<del>6.7</del>	<del>29.8</del>	44.6
6.8	<del>28.1</del>	42.0
6.9	<del>26.2</del>	<del>39.1</del>
7.0	24.1	<del>36.1</del>
7.1	22.0	32.8
7.2	<del>19.7</del>	<del>29.5</del>
7.3	<del>17.5</del>	<del>26.2</del>
7.4	15.4	23.0
7.5	13.3	<del>19.9</del>
<del>7.6</del>	11.4	<del>17.0</del>
7.7	<del>9.65</del>	14.4
7.8	8.11	12.1
7.9	<del>6.77</del>	<del>10.1</del>
8.0	<del>5.62</del>	8.40
8.1	4.64	<del>6.95</del>
8.2	3.83	<del>5.72</del>
8.3	3.15	4.71
8.4	<del>2.59</del>	<del>3.88</del>
8.5	2.14	3.20
8.6	1.77	<del>2.65</del>
8.7	1.47	2.20
8.8	1.23	1.84
8.9	1.04	<del>1.56</del>
9.0 and above	0.885	1.32

L. Chronic aquatic life criteria for total ammonia are dependent on pH, temperature and whether fish in early life stages are present or absent. The criteria are based on analysis of unfiltered samples and are calculated according to the equations in Paragraphs (1) and (2) of this subsection. For temperatures from below 0 to 14°C, the criteria for 14°C apply; for temperatures above 30°C, the criteria for 30°C apply. For pH values below 6.5, the criteria for 6.5 apply; for pH values above 9.0, the criteria for 9.0 apply.

## (1) Chronic aquatic life criteria for total ammonia when fish early life stages are present:

(a) The equation to calculate chronic criteria in mg/L as N is:  $\frac{((0.0577/(1+10^{7.688 \text{ pH}})) + (2.487/(1+10^{\text{pH}}^{7.688})) \times \text{MIN} (2.85, 1.45 \times 10^{0.028 \times (25-T)})}{((0.0577/(1+10^{7.688 \text{ pH}})) + (2.487/(1+10^{\text{pH}}^{7.688})) \times \text{MIN} (2.85, 1.45 \times 10^{0.028 \times (25-T)})}$ 

(b) Selected values of calculated chronic criteria in mg/L as N:

	Tempera	ture (°C)								
<del>pH</del>	14 and	<del>15</del>	<del>16</del>	<del>18</del>	<del>20</del>	22	<del>24</del>	<del>26</del>	<del>28</del>	30 and
	<del>below</del>									<del>above</del>
6.5 and	<del>6.67</del>	6.46	6.06	5.33	4.68	4.12	<del>3.62</del>	3.18	2.80	<del>2.46</del>
<del>below</del>										

	Tempera	ture (°C)	)							
<del>pH</del>	14 and	<del>15</del>	<del>16</del>	<del>18</del>	<del>20</del>	<del>22</del>	24	<del>26</del>	<del>28</del>	30 and
_	<del>below</del>									above
6.6	6.57	6.36	<del>5.97</del>	<del>5.25</del>	4.61	4.05	<del>3.56</del>	3.13	<del>2.75</del>	2.42
6.7	6.44	6.25	<del>5.86</del>	5.15	4.52	3.98	3.50	3.07	2.70	<del>2.37</del>
6.8	6.29	6.10	5.72	5.03	4.42	<del>3.89</del>	3.42	3.00	2.64	2.32
<del>6.9</del>	6.12	<del>5.93</del>	<del>5.56</del>	4.89	4.30	<del>3.78</del>	3.32	<del>2.92</del>	2.57	<del>2.25</del>
7.0	<del>5.91</del>	5.73	<del>5.37</del>	4.72	4.15	<del>3.65</del>	3.21	2.82	2.48	2.18
7.1	<del>5.67</del>	<del>5.49</del>	5.15	4.53	3.98	3.50	3.08	2.70	2.38	2.09
<del>7.2</del>	<del>5.39</del>	5.22	4.90	4.31	3.78	3.33	2.92	2.57	2.26	1.99
7.3	5.08	4.92	4.61	4.06	3.57	3.13	<del>2.76</del>	2.42	2.13	1.87
7.4	4.73	4.59	4.30	3.78	3.32	2.92	2.57	2.26	1.98	1.74
<del>7.5</del>	4.36	4.23	3.97	<del>3.49</del>	3.06	<del>2.69</del>	2.37	2.08	1.83	1.61
<del>7.6</del>	3.98	3.85	<del>3.61</del>	3.18	2.79	<del>2.45</del>	2.16	1.90	1.67	1.47
7.7	3.58	3.47	3.25	<del>2.86</del>	2.51	<del>2.21</del>	1.94	1.71	1.50	1.32
7.8	3.18	3.09	2.89	2.54	2.23	1.96	1.73	1.52	1.33	1.17
<del>7.9</del>	2.80	2.71	2.54	2.24	1.96	1.73	1.52	1.33	1.17	1.03
8.0	2.43	<del>2.36</del>	2.21	1.94	1.71	1.50	1.32	1.16	1.02	0.897
8.1	2.10	2.03	1.91	1.68	1.47	1.29	1.14	1.00	0.879	0.773
<del>8.2</del>	<del>1.79</del>	1.74	1.63	1.43	1.26	1.11	0.973	0.855	0.752	0.661
8.3	1.52	1.48	1.39	1.22	1.07	0.941	0.827	0.727	0.639	0.562
8.4	1.29	1.25	1.17	1.03	0.906	0.796	0.700	0.615	0.541	0.475
<del>8.5</del>	1.09	1.06	0.990	0.870	0.765	0.672	0.591	0.520	0.457	0.401
<del>8.6</del>	0.920	0.892	0.836	0.735	0.646	0.568	0.499	0.439	0.386	0.339
<del>8.7</del>	0.778	0.754	0.707	0.622	0.547	0.480	0.422	0.371	0.326	0.287
8.8	0.661	0.641	0.601	0.528	0.464	0.408	0.359	0.315	0.277	0.244
<del>8.9</del>	0.565	0.548	0.513	0.451	0.397	0.349	0.306	0.269	0.237	0.208
9.0 and	0.486	0.471	0.442	0.389	0.342	0.300	0.264	0.232	0.204	0.179
<del>above</del>										

(2) Chronic aquatic life criteria for total ammonia when fish early life stages are absent.

(a) The equation to calculate chronic criteria in mg/L as N is:

((0.0577/(1 + 10<sup>7.688-pH</sup>)) + (2.487/(1 + 10<sup>pH-7.688</sup>)) x 1.45 x 10<sup>0.028 x (25-MAX(T,7))</sup>

(b) Selected values of calculated chronic criteria in mg/L as N:

	Temper	ature (°C	)						
11	7 and	8	9	<del>10</del>	11	<del>12</del>	13	14	<del>15</del>
<del>pH</del>	<del>below</del>								and
									above
6.5 and below	<del>10.8</del>	10.1	<del>9.51</del>	8.92	<del>8.36</del>	7.84	<del>7.35</del>	6.89	6.46
6.6	<del>10.7</del>	9.99	<del>9.37</del>	8.79	8.24	7.72	<del>7.24</del>	6.79	6.36
6.7	<del>10.5</del>	9.81	9.20	<del>8.62</del>	8.08	7.58	<del>7.11</del>	6.66	6.25
6.8	10.2	9.58	8.98	8.42	7.90	7.40	6.94	6.51	6.10
<del>6.9</del>	9.93	9.31	8.73	8.19	7.68	7.20	6.75	6.33	5.93
7.0	9.60	9.00	8.43	7.91	7.41	6.95	6.52	6.11	5.73
7.1	9.20	8.63	8.09	7.58	7.11	6.67	6.25	<del>5.86</del>	<del>5.49</del>
7.2	8.75	8.20	<del>7.69</del>	7.21	6.76	6.34	5.94	5.57	5.22
7.3	8.24	7.73	7.25	6.79	6.37	5.97	<del>5.60</del>	5.25	4.92
7.4	7.69	7.21	<del>6.76</del>	6.33	5.94	5.57	5.22	4.89	4.59
7.5	7.09	6.64	6.23	5.84	5.48	5.13	4.81	4.51	4.23
<del>7.6</del>	6.46	6.05	<del>5.67</del>	5.32	4.99	4.68	4.38	4.11	3.85
7.7	5.81	5.45	5.11	4.79	4.49	4.21	3.95	3.70	3.47
7.8	5.17	4.84	4.54	4.26	3.99	3.74	3.51	3.29	3.09
<del>7.9</del>	4.54	4.26	<del>3.99</del>	3.74	3.51	3.29	3.09	2.89	2.71
8.0	3.95	3.70	3.47	3.26	3.05	2.86	2.68	2.52	2.36
8.1	3.41	3.19	2.99	2.81	2.63	2.47	2.31	2.17	2.03

	Temper	<del>ature (°C)</del>	,							
"II	7 and	8	9		<del>10</del>	11	12	13	14	15
<del>pH</del>	<del>below</del>									and
										above
8.2	2.91	2.73	<del>2.56</del>		2.40	2.25	2.11	1.98	1.85	1.74
8.3	2.47	2.32	2.18		2.04	1.91	1.79	1.68	1.58	1.48
8.4	2.09	1.96	1.84		1.73	1.62	1.52	1.42	1.33	1.25
<del>8.5</del>	1.77	1.66	1.55		1.46	1.37	1.28	1.20	1.13	1.06
<del>8.6</del>	1.49	1.40	1.31		1.23	1.15	1.08	1.01	0.951	0.892
8.7	1.26	1.18	1.11		1.04	0.976	0.915	0.858	0.805	0.754
8.8 1.07	1.01	0.944	0.855	0.829	0.778	0.729	0.684	0.641		<u>.</u>
8.9	0.917	0.860	0.806		0.756	0.709	0.664	0.623	0.584	0.548
9.0 and above	0.790	0.740	0.694		0.651	0.610	0.572	0.536	0.503	0.471

At 15°C and above, the criterion for fish early life stages absent is the same as the criterion for fish early life stages present (refer to table in Paragraph (1) of this subsection).

**K.** The criteria for total ammonia consider sensitive freshwater mussel species in the family Unionidae, freshwater non-pulmonate snails, and *Oncorhynchus* spp. (a genus of fish in the family Salmonidae), hence further protecting the aquatic community. The total ammonia criteria magnitude is measured as Total Ammonia Nitrogen (TAN) mg/L. TAN is the sum of  $NH_4^+$  and  $NH_3$ . TAN mg/L magnitude is derived as a function of pH and temperature (EPA 2013).

L. The acute aquatic life criteria for TAN (mg/L) was derived by the EPA (2013) as the one-hour average concentration of TAN mg/L that shall not be exceeded more than once every three years on average. The EPA acute criterion magnitude was derived using the following equation:

$$\text{Acute TAN Criterion Magnitude for 1-hour average=} \\ \left( \frac{0.275}{1+10^{7.204-pH}} + \frac{39}{1+10^{pH-7.204}} \right), \\ \text{MIN} \left( 0.7249 x \left( \frac{0.0114}{1+10^{7.204-pH}} + \frac{1.6181}{1+10^{pH-7.204}} \right) x \left( 23.12 \times 10^{0.036(20-T)} \right) \right) \right)$$

T (temperature C) and pH are defined as the paired values associated with the TAN sample.

	Temperature (°C)																				
					ı	ı	1			ı	1	1		1	1		ı	1	1	1	1
<u>рН</u>	0-10	<u>11</u>	<u>12</u>	<u>13</u>	<u>14</u>	<u>15</u>	<u>16</u>	<u>17</u>	<u>18</u>	<u>19</u>	<u>20</u>	<u>21</u>	<u>22</u>	<u>23</u>	<u>24</u>	<u>25</u>	<u> 26</u>	<u>27</u>	<u>28</u>	<u>29</u>	<u>30</u>
6.5	<u>51</u>	<u>48</u>	<u>44</u>	<u>41</u>	<u>37</u>	<u>34</u>	<u>32</u>	<u> 29</u>	<u>27</u>	<u>25</u>	<u>23</u>	<u>21</u>	19	<u>18</u>	<u> 16</u>	<u>15</u>	<u>14</u>	<u>13</u>	<u>12</u>	<u>11</u>	9.9
6.6	<u>49</u>	<u>46</u>	42	<u> 39</u>	36	33	<u> 30</u>	<u> 28</u>	<u> 26</u>	24	<u>22</u>	<u> 20</u>	18	17	16	14	13	<u>12</u>	11	10	9. <u>5</u>
6.7	<u>46</u>	<u>44</u>	40	<u>37</u>	34	31	<u> 29</u>	<u>27</u>	<u>24</u>	<u>22</u>	<u>21</u>	<u> 19</u>	18	16	<u>15</u>	14	13	<u>12</u>	11	9.8	<u>9</u>
6.8	<u>44</u>	<u>41</u>	38	<u>35</u>	32	30	<u>27</u>	<u> 25</u>	<u>23</u>	21	<u>20</u>	18	<u>17</u>	<u>15</u>	14	13	12	<u>11</u>	10	9.2	8. <u>5</u>
6.9	41	<u>38</u>	<u>35</u>	<u>32</u>	<u> 30</u>	<u> 28</u>	<u>25</u>	<u>23</u>	<u>21</u>	<u>20</u>	<u>18</u>	<u>17</u>	<u>15</u>	14	<u>13</u>	<u>12</u>	11	10	9.4	8.6	7.9
7.0	<u>38</u>	<u>35</u>	33	<u> 30</u>	28	<u> 25</u>	<u>23</u>	<u>21</u>	<u>20</u>	18	<u>17</u>	<u>15</u>	14	13	12	<u>11</u>	10	9.4	8.6	7.9	7.3
7.1	<u>34</u>	<u>32</u>	30	<u>27</u>	<u> 25</u>	23	21	<u>20</u>	<u>18</u>	<u>17</u>	<u>15</u>	14	<u>13</u>	12	11	10	9.3	8.5	7.9	7.2	6.7
7.2	31	<u> 29</u>	27	<u>25</u>	23	21	19	18	16	<u>15</u>	<u>14</u>	13	12	11	9.8	9.1	8.3	7.7	7.1	6.5	<u>6</u>
7.3	27	<u> 26</u>	24	<u>22</u>	20	18	<u>17</u>	16	14	13	<u>12</u>	<u>11</u>	10	9.5	8.7	8	7.4	6.8	6.3	5.8	<u>5.3</u>
7.4	<u>24</u>	<u>22</u>	21	<u> 19</u>	18	16	<u>15</u>	14	<u>13</u>	12	<u>11</u>	9.8	9	8.3	7.7	<u>7</u>	6.5	<u>6</u>	<u>5.5</u>	5.1	<u>4.7</u>
7.5	21	<u> 19</u>	18	<u>17</u>	<u>15</u>	14	13	12	<u>11</u>	10	9.2	8.5	7.8	7.2	6.6	6.1	5.6	5.2	4.8	4.4	<u>4</u>
7.6	18	<u>17</u>	15	14	13	12	<u>11</u>	10	9.3	8.6	7.9	7.3	6.7	6.2	5.7	5.2	4.8	4.4	4.1	3.8	3. <u>5</u>
7.7	<u>15</u>	14	13	12	11	10	9.3	8.6	7.9	7.3	6.7	6.2	<u>5.7</u>	5.2	4.8	4.4	4.1	3.8	3.5	3.2	2.9
7.8	13	<u>12</u>	<u>11</u>	10	9.3	8.5	7.9	7.2	6.7	6.1	5.6	5.2	4.8	4.4	4	3.7	3.4	3.2	2.9	2.7	<u>2.5</u>
7.9	<u>11</u>	9.9	9.1	8.4	7.7	7.1	6.6	<u>3</u>	5.6	5.1	4.7	4.3	4	3.7	3.4	3.1	2.9	2.6	2.4	2.2	2.1
8.0	8.8	8.2	7.6	7	6.4	5.9	5.4	<u>5</u>	4.6	4.2	3.9	3.6	3.3	3	2.8	2.6	2.4	2.2	2	1.9	1.7
8.1	7.2	6.8	6.3	5.8	5.3	4.9	4.5	4.1	3.8	3.5	3.2	<u>3</u>	2.7	2.5	2.3	2.1	2	1.8	1.7	1.5	1.4
8.2	6	5.6	5.2	4.8	4.4	4	3.7	3.4	3.1	2.9	2.7	2.4	2.3	2.1	1.9	1.8	1.6	1.5	1.4	1.3	1.2

8.3	4.9	4.6	4.3	3.9	3.6	3.3	3.1	2.8	2.6	2.4	2.2	2	1.9	1.7	1.6	1.4	1.3	1.2	1.1	1	0.96
8.4	4.1	3.8	3.5	3.2	3	2.7	2.5	2.3	2.1	<u>2</u>	1.8	1.7	1.5	1.4	1.3	1.2	1.1	1	0.93	0.86	0.79
8.5	3.3	3.1	2.9	2.7	2.4	2.3	2.1	1.9	1.8	1.6	1.5	1.4	1.3	1.2	1.1	0.98	0.9	0.83	0.77	0.71	0.65
8.6	2.8	2.6	2.4	2.2	2	1.9	1.7	1.6	1.5	1.3	1.2	1.1	1	0.96	0.88	0.81	0.75	0.69	0.63	0.58	0.54
8.7	2.3	2.2	2	1.8	1.7	1.6	1.4	1.3	1.2	1.1	1	0.94	0.87	0.8	0.74	0.68	0.62	0.57	0.53	0.49	0.45
8.8	1.9	1.8	1.7	1.5	1.4	1.3	1.2	1.1	1	0.93	0.86	0.79	0.73	0.67	0.62	0.57	0.52	0.48	0.44	0.41	0.37
8.9	1.6	1.5	1.4	1.3	1.2	1.1	1	0.93	0.85	0.79	0.72	0.67	0.61	0.56	0.52	0.48	0.44	0.4	0.37	0.34	0.32
9.0	1.4	1.3	1.2	1.1	1	0.93	0.86	0.79	0.73	0.67	0.62	0.57	0.52	0.48	0.44	0.41	0.37	0.34	0.32	0.29	0.27

(1) Temperature and pH-dependent values of the acute TAN criterion magnitude -when *Oncorhynchus* spp. absent.

(2) Temperature and pH-dependent values for the acute TAN criterion magnitudewhen Oncorhynchus spp. are present.

when		Temperature (°C)															ı
	<u>Temp</u>	eratuı	re (°C)	<u>.</u>	1	•	•	•	1	1	•	1	1		•		
pН	<u>0-14</u>	<u>15</u>	<u>16</u>	<u>17</u>	<u>18</u>	<u>19</u>	<u>20</u>	<u>21</u>	<u>22</u>	<u>23</u>	<u>24</u>	<u>25</u>	<u>26</u>	<u>27</u>	<u>28</u>	<u>29</u>	<u>30</u>
<u>6.5</u>	<u>33</u>	<u>33</u>	<u>32</u>	<u>29</u>	<u>27</u>	<u>25</u>	<u>23</u>	<u>21</u>	<u>19</u>	<u>18</u>	<u>16</u>	<u>15</u>	<u>14</u>	<u>13</u>	<u>12</u>	<u>11</u>	<u>9.9</u>
<u>6.6</u>	<u>31</u>	<u>31</u>	<u>30</u>	<u>28</u>	<u>26</u>	<u>24</u>	<u>22</u>	<u>20</u>	<u>18</u>	<u>17</u>	<u>16</u>	<u>14</u>	<u>13</u>	<u>12</u>	<u>11</u>	<u>10</u>	<u>9.5</u>
<u>6.7</u>	<u>30</u>	<u>30</u>	<u>29</u>	<u>27</u>	<u>24</u>	<u>22</u>	<u>21</u>	<u>19</u>	<u>18</u>	<u>16</u>	<u>15</u>	<u>14</u>	<u>13</u>	<u>12</u>	<u>11</u>	<u>9.8</u>	<u>9</u>
<u>6.8</u>	<u>28</u>	<u>28</u>	<u>27</u>	<u>25</u>	<u>23</u>	<u>21</u>	<u>20</u>	<u>18</u>	<u>17</u>	<u>15</u>	<u>14</u>	<u>13</u>	<u>12</u>	<u>11</u>	<u>10</u>	<u>9.2</u>	<u>8.5</u>
<u>6.9</u>	<u>26</u>	<u>26</u>	<u>25</u>	<u>23</u>	<u>21</u>	<u>20</u>	<u>18</u>	<u>17</u>	<u>15</u>	<u>14</u>	<u>13</u>	<u>12</u>	<u>11</u>	<u>10</u>	<u>9.4</u>	<u>8.6</u>	<u>7.9</u>
<u>7.0</u>	<u>24</u>	<u>24</u>	<u>23</u>	<u>21</u>	<u>20</u>	<u>18</u>	<u>17</u>	<u>15</u>	<u>14</u>	<u>13</u>	<u>12</u>	<u>11</u>	<u>10</u>	<u>9.4</u>	<u>8.6</u>	<u>8</u>	<u>7.3</u>
<u>7.1</u>	<u>22</u>	<u>22</u>	<u>21</u>	<u>20</u>	<u>18</u>	<u>17</u>	<u>15</u>	<u>14</u>	<u>13</u>	<u>12</u>	<u>11</u>	<u>10</u>	<u>9.3</u>	<u>8.5</u>	<u>7.9</u>	<u>7.2</u>	<u>6.7</u>
<u>7.2</u>	<u>20</u>	<u>20</u>	<u>19</u>	<u>18</u>	<u>16</u>	<u>15</u>	<u>14</u>	<u>13</u>	<u>12</u>	<u>11</u>	<u>9.8</u>	<u>9.1</u>	<u>8.3</u>	<u>7.7</u>	<u>7.1</u>	<u>6.5</u>	<u>6</u>
<u>7.3</u>	<u>18</u>	<u>18</u>	<u>17</u>	<u>16</u>	<u>14</u>	<u>13</u>	<u>12</u>	<u>11</u>	<u>10</u>	<u>9.5</u>	<u>8.7</u>	<u>8</u>	<u>7.4</u>	<u>6.8</u>	<u>6.3</u>	<u>5.8</u>	<u>5.3</u>
<u>7.4</u>	<u>15</u>	<u>15</u>	<u>15</u>	<u>14</u>	<u>13</u>	<u>12</u>	<u>11</u>	<u>9.8</u>	9	<u>8.3</u>	<u>7.7</u>	<u>7</u>	<u>6.5</u>	<u>6</u>	<u>5.5</u>	<u>5.1</u>	<u>4.7</u>
<u>7.5</u>	<u>13</u>	<u>13</u>	<u>13</u>	<u>12</u>	<u>11</u>	<u>10</u>	<u>9.2</u>	<u>8.5</u>	<u>7.8</u>	<u>7.2</u>	<u>6.6</u>	<u>6.1</u>	<u>5.6</u>	<u>5.2</u>	<u>4.8</u>	<u>4.4</u>	<u>4</u>
<u>7.6</u>	<u>11</u>	<u>11</u>	<u>11</u>	<u>10</u>	<u>9.3</u>	<u>8.6</u>	<u>7.9</u>	<u>7.3</u>	<u>6.7</u>	<u>6.2</u>	<u>5.7</u>	<u>5.2</u>	<u>4.8</u>	<u>4.4</u>	<u>4.1</u>	<u>3.8</u>	<u>3.5</u>
<u>7.7</u>	<u>9.6</u>	<u>9.6</u>	<u>9.3</u>	<u>8.6</u>	<u>7.9</u>	<u>7.3</u>	<u>6.7</u>	<u>6.2</u>	<u>5.7</u>	<u>5.2</u>	<u>4.8</u>	<u>4.4</u>	<u>4.1</u>	<u>3.8</u>	<u>3.5</u>	<u>3.2</u>	<u>3</u>
<u>7.8</u>	<u>8.1</u>	<u>8.1</u>	<u>7.9</u>	<u>7.2</u>	<u>6.7</u>	<u>6.1</u>	<u>5.6</u>	<u>5.2</u>	<u>4.8</u>	<u>4.4</u>	<u>4</u>	<u>3.7</u>	<u>3.4</u>	<u>3.2</u>	<u>2.9</u>	<u>2.7</u>	<u>2.5</u>
<u>7.9</u>	<u>6.8</u>	<u>6.8</u>	<u>6.6</u>	<u>6</u>	<u>5.6</u>	<u>5.1</u>	<u>4.7</u>	<u>4.3</u>	<u>4</u>	<u>3.7</u>	<u>3.4</u>	<u>3.1</u>	<u>2.9</u>	<u>2.6</u>	<u>2.4</u>	<u>2.2</u>	<u>2.1</u>
<u>8.0</u>	<u>5.6</u>	<u>5.6</u>	<u>5.4</u>	<u>5</u>	<u>4.6</u>	<u>4.2</u>	<u>3.9</u>	<u>3.6</u>	<u>3.3</u>	<u>3</u>	<u>2.8</u>	<u>2.6</u>	<u>2.4</u>	<u>2.2</u>	<u>2</u>	<u>1.9</u>	<u>1.7</u>
<u>8.1</u>	<u>4.6</u>	<u>4.6</u>	<u>4.5</u>	<u>4.1</u>	<u>3.8</u>	<u>3.5</u>	<u>3.2</u>	<u>3</u>	<u>2.7</u>	<u>2.5</u>	<u>2.3</u>	<u>2.1</u>	<u>2</u>	<u>1.8</u>	<u>1.7</u>	<u>1.5</u>	<u>1.4</u>
<u>8.2</u>	<u>3.8</u>	<u>3.8</u>	<u>3.7</u>	<u>3.5</u>	<u>3.1</u>	<u>2.9</u>	<u>2.7</u>	<u>2.4</u>	<u>2.3</u>	<u>2.1</u>	<u>1.9</u>	<u>1.8</u>	<u>1.6</u>	<u>1.5</u>	<u>1.4</u>	<u>1.3</u>	<u>1.2</u>
<u>8.3</u>	<u>3.1</u>	<u>3.1</u>	<u>3.1</u>	<u>2.8</u>	<u>2.6</u>	<u>2.4</u>	<u>2.2</u>	<u>2</u>	<u>1.9</u>	<u>1.7</u>	<u>1.6</u>	<u>1.4</u>	<u>1.3</u>	<u>1.2</u>	<u>1.1</u>	<u>1</u>	<u>1</u>
<u>8.4</u>	<u>2.6</u>	<u>2.6</u>	<u>2.5</u>	<u>2.3</u>	<u>2.1</u>	<u>2</u>	<u>1.8</u>	<u>1.7</u>	<u>1.5</u>	<u>1.4</u>	<u>1.3</u>	<u>1.2</u>	<u>1.1</u>	<u>1</u>	<u>0.9</u>	<u>0.9</u>	<u>0.8</u>
<u>8.5</u>	<u>2.1</u>	<u>2.1</u>	<u>2.1</u>	<u>1.9</u>	<u>1.8</u>	<u>1.6</u>	<u>1.5</u>	<u>1.4</u>	<u>1.3</u>	<u>1.2</u>	<u>1.1</u>	<u>1</u>	<u>0.9</u>	<u>0.8</u>	0.8	<u>0.7</u>	<u>0.7</u>
<u>8.6</u>	<u>1.8</u>	<u>1.8</u>	<u>1.7</u>	<u>1.6</u>	<u>1.5</u>	<u>1.3</u>	<u>1.2</u>	<u>1.1</u>	1	<u>1</u>	<u>0.9</u>	0.8	0.8	<u>0.7</u>	<u>0.6</u>	<u>0.6</u>	<u>0.5</u>
<u>8.7</u>	<u>1.5</u>	<u>1.5</u>	<u>1.4</u>	<u>1.3</u>	1.2	<u>1.1</u>	1	0.9	<u>0.9</u>	0.8	0.7	0.7	0.6	<u>0.6</u>	<u>0.5</u>	<u>0.5</u>	<u>0.5</u>
<u>8.8</u>	<u>1.2</u>	<u>1.2</u>	<u>1.2</u>	<u>1.1</u>	<u>1</u>	0.9	0.9	0.8	0.7	0.7	0.6	0.6	<u>0.5</u>	<u>0.5</u>	0.4	<u>0.4</u>	<u>0.4</u>
<u>8.9</u>	1	1	1	0.9	0.9	0.8	0.7	0.7	0.6	0.6	<u>0.5</u>	<u>0.5</u>	0.4	0.4	0.4	0.3	0.3
9.0	0.88	<u>0.9</u>	<u>0.9</u>	0.8	<u>0.7</u>	<u>0.7</u>	<u>0.6</u>	<u>0.6</u>	<u>0.5</u>	<u>0.5</u>	0.4	0.4	0.4	<u>0.3</u>	<u>0.3</u>	<u>0.3</u>	<u>0.3</u>

M. The chronic aquatic life criteria for TAN (mg/L) was derived by the EPA (2013) as a thirty-day rolling average concentration of TAN mg/L that shall not be exceeded more than once every three years on average. In addition, the highest four-day average within the 30-day averaging period should not be more than 2.5 times the CCC (e.g., 2.5 x 1.9 mg TAN/L at pH 7 and 20°C, or 4.8 mg TAN/L) more than once in three years on average. The EPA chronic criterion magnitude was derived using the following equation:

$$0.8876 \times \left(\frac{\frac{\text{Chronic TAN Criterion Magnitude for 30-day average}}{0.0278} + \frac{1.1994}{1 + 10^{pH-7.688}}\right) \times \left(2.126 \times 10^{0.028 \times (20 - MAX(T,7))}\right)$$

<u>T (temperature  $^{\circ}$ C) and pH are defined as the paired values associated with the TAN sample.</u>

Tem	emperature and pH-Dependent Values of the Chronic TAN Criterion Magnitude.																							
	Temp	erat	ure (	(° <b>C</b> )																				
pН	0-7	8	9	10	<u>11</u>	12	13	14	<u>15</u>	16	17	18	19	<u>20</u>	21	<u>22</u>	<u>23</u>	<u>24</u>	<u> 25</u>	<u> 26</u>	<u> 27</u>	<u>28</u>	29	<u>30</u>
6.5	4.9	4.6	4.3	4.1	3.8	3.6	3.3	3.1	2.9	2.8	2.6	2.4	2.3	2.1	2	1.9	1.8	1.6	1.5	1.5	1.4	1.3	1.2	1.1
6.6	4.8	4.5	4.3	4	3.8	3.5	3.3	3.1	2.9	2.7	2.5	2.4	2.2	2.1	2	1.8	1.7	1.6	1.5	1.4	1.3	1.3	1.2	1.1
6.7	4.8	4.5	4.2	3.9	3.7	3.5	3.2	3	2.8	2.7	2.5	2.3	2.2	2.1	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1
6.8	4.6	4.4	4.1	3.8	3.6	<u>3.4</u>	3.2	<u>3</u>	2.8	2.6	2.4	2.3	2.1	2	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.1
6.9	<u>4.5</u>	4.2	<u>4</u>	<u>3.7</u>	3.5	3.3	3.1	2.9	2.7	<u>2.5</u>	<u>2.4</u>	2.2	2.1	<u>2</u>	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1	1
7.0	4.4	4.1	3.8	<u>3.6</u>	3.4	3.2	<u>3</u>	2.8	2.6	<u>2.4</u>	2.3	2.2	2	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.1	1
7.1	<u>4.2</u>	<u>3.9</u>	<u>3.7</u>	<u>3.5</u>	<u>3.2</u>	<u>3</u>	<u>2.8</u>	2.7	<u>2.5</u>	<u>2.3</u>	<u>2.2</u>	2.1	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1	1	1
7.2	<u>4</u>	<u>3.7</u>	<u>3.5</u>	<u>3.3</u>	3.1	<u>2.9</u>	<u>2.7</u>	<u>2.5</u>	<u>2.4</u>	<u>2.2</u>	<u>2.1</u>	<u>2</u>	1.8	<u>1.7</u>	<u>1.6</u>	<u>1.5</u>	<u>1.4</u>	<u>1.3</u>	<u>1.3</u>	<u>1.2</u>	<u>1.1</u>	1	1	0.9
7.3	3.8	<u>3.5</u>	<u>3.3</u>	<u>3.1</u>	<u>2.9</u>	<u>2.7</u>	<u>2.6</u>	<u>2.4</u>			<u>2</u>	1.8	1.7	<u>1.6</u>	<u>1.5</u>	<u>1.4</u>	1.3	1.3	<u>1.2</u>	<u>1.1</u>	1	1	0.9	0.9
<u>7.4</u>	<u>3.5</u>	<u>3.3</u>	3.1			<u>2.5</u>	<u>2.4</u>	<u>2.2</u>	2.1	2	1.8	1.7	<u>1.6</u>	<u>1.5</u>	<u>1.4</u>	1.3	1.3	<u>1.2</u>	1.1	1	1	0.9	0.9	<u>0.8</u>
<u>7.5</u>	<u>3.2</u>	<u>3</u>	2.8	<u>2.7</u>	<u>2.5</u>	<u>2.3</u>		2.1	1.9	1.8	1.7	<u>1.6</u>	1.5	<u>1.4</u>	1.3	1.2	1.2	1.1	_	1			0.8	<u>0.7</u>
<u>7.6</u>	<u>2.9</u>	2.8	_	_	<u>2.3</u>			1.9	1.8	_	1.5			_	1.2		_		_	<u>0.9</u>			0.7	<u>0.7</u>
7.7	<u>2.6</u>	<u>2.4</u>	=	<u>2.2</u>	<u>2</u>			1.7		_			1.2	_	1.1	_	=	_	_		_	_	_	0.6
7.8	2.3	<u>2.2</u>		<u>1.9</u>	_			1.5					1.1									0.6	_	0.5
<u>7.9</u>	2.1	<u>1.9</u>		1.7				1.3			1.1	_			_		_	_	_		_		0.5	<u>0.5</u>
8.0	1.8	1.7			<u>1.4</u>			<u>1.1</u>		_	_	<u>0.9</u>		_	_			0.6					_	0.4
8.1	<u>1.5</u>	1.5	1.4	_	1.2	-							0.7	_	_		0.6						_	<u>0.4</u>
8.2	1.3	<u>1.2</u>		1.1	_			0.8		_	_	_		_	_			0.4		_			0.3	0.3
8.3	1.1	1.1		0.9			0.8				0.6			_									_	0.3
8.4	1	-	_	_	_					0.5	_	0.5	İ	_	=		_		_	-	_		0.2	0.2
8.5	0.8			_			0.6		0.5			_			0.3				_	_	0.2		0.2	0.2
8.6	0.7	=	=	0.6	_						0.4			_	_					_	=	_	_	0.2
8.7	0.6			0.5			0.4							0.3	_		0.2		_		_		_	0.1
8.8	0.5	=		_	_					_	_		0.2	_	_		0.2			-		_	_	0.1
8.9	0.4				0.3															_				0.1
9.0	0.4	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	5 4 900			_	20.3	D. f. :	0.6	1.011	20.1	0/12	(201		107	11/0/	202	1 ~	/2.2 /2	005	<u> </u>	1/15	2005			

[20.6.4.900 NMAC - Rp 20 NMAC 6.1.3100, 10/12/2010; A, 10/11/2002; A, 5/23/2005; A, 7/17/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/2022]

**20.6.4.901 PUBLICATION REFERENCES:** These documents are intended as guidance and are available for public review during regular business hours at the offices of the surface water quality bureau. Copies of these documents have also been filed with the New Mexico state records center in order to provide greater access to this information.

- **A.** American public health association. 1992. *Standard Methods for The Examination of Water and Wastewater*, 18th Edition. Washington, D.C. 1048 p.
- **B.** American public health association. 1995. *Standard Methods for The Examination of Water and Wastewater, 19th Edition.* Washington, D.C. 1090 p.
- C. American public health association. 1998. *Standard Methods for The Examination of Water and Wastewater*, 20th Edition. Washington, D.C. 1112 p.
- **D.** American public health association. 2018. *Standard Methods for The Examination of Water and Wastewater*, 23rd Edition. Washington, D.C. 1796 p.

- [D.] E. United States geological survey. [1987] 1989. Methods For Determination of Inorganic Substances In Water And Fluvial Sediments, Techniques of Water-Resource Investigations of The United States Geological Survey. Washington, D.C. [80] 545 p.
- [E.] F. United States geological survey. 1987. Methods [for the determination of organic substances in water and fluvial sediments, techniques of water resource investigations of the U.S. Geological survey] For The Determination Of Organic Substances In Water And Fluvial Sediments, Techniques Of Water-Resource Investigations Of The United States Geological Survey. Washington, D.C. 80 p.
- [F-] G. United States environmental protection agency. [1974] 1983. *Methods For Chemical Analysis Of Water And Wastes*. [National environmental research center, Cincinnati, Ohio] Office of research and development, Washington, DC. [(EPA 625 /6 74 003)] (EPA/600/4-79/020). [298] 491 p.
- [G.] H. New Mexico water quality control commission. [2003] 2020. [(208)] State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. [85] 277 p.
- [H.] <u>I.</u> Colorado river basin salinity control forum. [2014] 2020. [2014] 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. [99] 97 p.
- [1.] J. United States environmental protection agency. 2002. *Methods For Measuring The Acute Toxicity Of Effluents And Receiving Waters To Freshwater And Marine Organisms*. Office of research and development, Washington, D.C. (5th Ed., EPA 821-R-02-012). 293 p. [http://www.epa.gov/ostWET/disk2/atx.pdf]
- [J-] <u>K.</u> United States environmental protection agency. 2002. Short-Term Methods For Estimating The Chronic Toxicity Of Effluents And Receiving Waters To Freshwater Organisms. Environmental monitoring systems laboratory, Cincinnati, Ohio. (4th Ed., EPA 821-R-02-013). 335 p.
- [K.] L. [Ambient induced mixing, in] United States environmental protection agency. 1991. Ambient-induced mixing, in *Technical Support Document For Water Quality-Based Toxics Control*. Office of water, Washington, D.C. (EPA/505/2-90-001). [2] 335 p.
- [L<sub>1</sub>] M. United States environmental protection agency. 1983. *Technical Support Manual: Waterbody Surveys And Assessments For Conducting Use Attainability Analyses, Volume I*:. Office of water, regulations and standards, Washington, D.C. [251] 232 p. [http://www.epa.gov/OST/library/wqstandards/uaavol123.pdf]
- [M.] N. United States environmental protection agency. 1984. *Technical Support Manual: Waterbody Surveys And Assessments For Conducting Use Attainability Analyses, Volume* [Hi] III: Lake Systems. Office of water, regulations and standards, Washington, D.C. 208 p.

[http://www.epa.gov/OST/library/wqstandards/uaavol123.pdf]

[20.6.4.901 NMAC - Rp 20 NMAC 6.1.4000, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/2022]