

Provisions.

F. Section 106 Reference Standards. All references in the IECC to the international building code shall be deemed references to 14.7.2 NMAC, the 2009 New Mexico Commercial Building Code (NMCBC). All references to the international residential code shall be deemed references to 14.7.3 NMAC, the 2009 New Mexico Residential Building Code (NMRBC). All references to the international plumbing code shall be deemed references to 14.8.2 NMAC, the 2009 New Mexico Plumbing Code (NMPC). All references to the international mechanical code shall be deemed references to 14.9.2 NMAC, the 2009 New Mexico Mechanical Code (NMMC). All references to the ICC or international electrical code shall be deemed references to 14.10.4 NMAC, the 2008 New Mexico Electrical Code (NMEC). All references to the international energy conservation code shall be deemed references to 14.7.6 NMAC, the 2009 New Mexico Energy Conservation Code (NMECC). All references to the international fuel gas code are deemed references to the NMMC or the LP gas standards found at 19.15.40 NMAC, and NMSA 1978 70-5-1 et seq.

G. Section 107 Fees.

- (1) **107.1 Fees.** Delete this section of the IECC and see 14.5.5 NMAC Fees.
- (2) **107.2 Schedule of Permit Fees.** Delete this section of the IECC and see 14.5.5.10 NMAC Permit Fees.

(3) **107.3 Work Commencing Before a Permit Issuance.** Delete this section of the IECC and see 14.5.2.16 NMAC Failure to Obtain Permit.

- (4) **107.4 Related Fees.** Delete this section of the IECC and see 14.5.5 NMAC Fees.

- (5) **107.5 Refunds.** Delete this section of the IECC and See 14.5.5 NMAC Fees.

H. 108 Stop Work Order. Delete this section of the IECC and see 14.5.3 Inspections.

I. 109 Board of Appeals. Delete this section of the IECC and See 14.5.1 General Provisions.

[14.7.6.9 NMAC - Rp, 14.7.6.9 NMAC, 8-1-11]

14.7.6.10 CHAPTER 2 - DEFINITIONS: See this chapter of the IECC except as provided below.

A. Section 201.1 Scope. See this section of the IECC and add the following: If the same term is defined in the New Mexico construction codes and in the IECC, the term shall have the meaning given it in the New Mexico construction codes.

B. Section 201.2 Interchangeability. See this chapter of the IECC.

C. Section 201.3 Terms defined in other codes. Delete this section of the IECC and substitute with the following: if a term is not defined in this code but is defined in a New Mexico construction code, the term shall have the meaning given it in the New Mexico construction code.

D. Section 201.4 Terms not defined. See this chapter of the IECC.

E. Section 202 General Definitions. See this section of the IECC except as provided below.

(1) **Conditioned space.** Delete the text of this definition and replace with the following: An area, room or space within a building that is provided with heating, cooling, or combined heating and cooling by equipment or systems capable of maintaining, through design or heat loss/gain, **50 degrees farenheit** (10 degrees celsius) during the heating season and **85 degrees farenheit** (29 degrees celsius) during the cooling season, or an area, room or space that communicates directly with a conditioned space.

(2) **Duct installation.** Ducts shall be installed in accordance with Chapter 6 and Chapter 17 of the New Mexico Mechanical Code and current applicable standards.

(3) **Indirectly conditioned space.** Add the following definition. Enclosed space within a building thermal envelope that is not mechanically heated or cooled.

(4) **Multi scene controls.** Systems for controlling power to multiple groups of lights requiring only a few controls.

(5) **Residential building.** Delete the text of this definition and replace with the following: For this code, includes detached one- and two-family dwellings and townhouses not more than three stories above grade plane in height with a separate means of egress and their accessory structures and R-3 buildings, as well as R-2 and R-4 buildings three stories or less in height above grade.

(6) **Unconditioned space.** Add the following definition: Space within a building that is not mechanically heated or cooled and is outside the building thermal envelope.

(7) **Vapor retarder class.** Add the following definition: a measure of a material or assembly's ability to limit the amount of moisture that passes through that material or assembly. Vapor retarder class shall be defined using the desiccant method of ASTME96 as follows:

- (a) **class I:** 0.1 perm or less;
- (b) **class II:** > 0.1 perm <1.0 perm;

(c) class III: > 1.0 perm <10 perm.
[14.7.6.10 NMAC - Rp, 14.7.6.10 NMAC, 8-1-11]

14.7.6.11 CHAPTER 3 - CLIMATE ZONES: See this Chapter of the IECC
[14.7.6.11 NMAC - Rp, 14.7.6.11 NMAC, 8-1-11]

14.7.6.12 CHAPTER 4 - RESIDENTIAL ENERGY EFFICIENCY. See this Chapter of the IECC.
[14.7.6.12 NMAC - Rp, 14.7.6.12 NMAC, 8-1-11]

14.7.6.13 CHAPTER 5 - COMMERCIAL ENERGY EFFICIENCY: See this Chapter of the IECC.
[14.7.6.13 NMAC - Rp 14.7.6.19 NMAC, 8-1-11]

14.7.6.14 CHAPTER 6 - REFERENCED STANDARDS: See this Chapter of the IECC.
[14.7.6.14 NMAC - Rp 14.7.6.25 NMAC, 8-1-11]

HISTORY OF 14.7.6 NMAC:

Pre NMAC History: None.

History of Repealed Material:

14.7.6 NMAC, 2003 New Mexico Energy Conservation Code (filed 5-27-04) repealed 1-7-04.

14.7.6 NMAC, 2006 New Mexico Energy Conservation Code (filed 8-16-2007) repealed 1-28-11.

14.7.6 NMAC, 2009 New Mexico Energy Conservation Code (filed 12-28-2010) repealed 8-1-11.

NMAC History:

14.7.6 NMAC, 2003 New Mexico Energy Conservation Code (filed 5-27-04) replaced by 14.7.6 NMAC, 2006 New Mexico Energy Conservation Code, effective 1-1-08.

14.7.6 NMAC, 2006 New Mexico Energy Conservation Code (filed 8-16-2007) replaced by 14.7.6 NMAC, 2009 New Mexico Energy Conservation Code, effective 1-28-11.

14.7.6 NMAC, 2009 New Mexico Energy Conservation Code (filed 12-28-2010) replaced by 14.7.6 NMAC, 2009 New Mexico Energy Conservation Code, effective 8-1-11.