

This is an amendment 16.66.1 NMAC, Section 7, effective 1/14/2022.

16.66.1.7 DEFINITIONS: These rules adopt, as if stated herein, all of the definitions contained in Section 61-24D-2 NMSA 1978.

A. Definitions beginning with the letter “A”:

(1) **“Access panel”** means a panel provided for homeowner inspection and maintenance that has removable or operable fasteners or latch devices in order to be lifted off, swung open, or otherwise removed by one person. Its edges and fasteners are not painted in place. Access panels are limited to those panels within normal reach at human height or from a stepladder, and those which are not blocked by stored items, furniture, or building components.

~~[(2) “Activate” means the act of turning on, supplying power, or otherwise enabling systems, equipment, or devices to become active by normal operating controls;]~~

~~[(3) (2) “Adverse condition” means a condition which is producing, or which has the potential to produce, a detrimental effect on a system or component that either impairs the system or component’s normally intended function or operation or which is inconsistent with generally established practice(s) regarding the historically or conventionally applied and acknowledged methods of installation, assembly, and operation or use.~~

~~[(4) (3) “Alarm” means a warning device that is either permanently installed or freestanding, including but not limited to smoke detectors and alarms, carbon-monoxide detectors, flue gas and other spillage detectors, security equipment, ejector pumps, and smoke alarms.~~

~~[(5) (4) “Appliance” means a permanently installed household device powered by electricity or gas, but not including central heating, central cooling, or plumbing components.~~

~~[(6) (5) “Architectural service” means any practice involving the art and science of building design for construction of any structure or grouping of structures, and the use of space within and surrounding the structures or the design, design development, preparation of construction contract documents, and administration of the construction contract.~~

~~[(7) (6) “Automatic safety controls” means devices designed and installed to protect systems and components.~~

B. Definitions beginning with the letter “B”: **“Board”** means the New Mexico Home Inspectors Board.

C. Definitions beginning with the letter “C”:

~~[(1) “Central air conditioning” means a system which uses ducts to distribute either or both cooled or dehumidified air to more than one room or uses pipes to distribute chilled water to heat exchangers in more than one room. This definition does not include systems or appliances that are plugged into an electrical convenience outlet;]~~

~~[(2) (1) “Component” means a constituent element or part of a system.~~

~~[(3) (2) “Concealed, latent, or intermittent condition” means any condition affecting any system or component which occurs after the inspection or is intermittent or otherwise not reasonably detectable by a competent and professional home inspector for any reason during the inspection.~~

~~[(4) (3) “Condition” means the visible and conspicuous state of being of an object regarding its appearance, quality, or working order.~~

~~(4) “Cooling and air conditioning” means:~~

~~(a) designed to be permanently installed for central cooling and or heating (ducted) or modular (non-ducted) systems. Systems may include evaporator coil(s), condenser unit(s), heat pump(s), air handler(s) and furnace(s) or~~

~~(b) permanently installed evaporative cooling ducted systems. This definition does not include cooling units or appliances that are designed and intended to be portable, non-permanent and are designed for installation at windows.~~

~~(5) “Cosmetic imperfection” means an irregularity or imperfection which does not affect a component’s normally intended function or operation, and which could but is not required to be repaired.~~

~~(6) “Crawlspace” or “underfloor crawlspace” means the area within the confines of the foundation and between the ground and the underside of the lowest floor’s structural components.~~

D. Definitions beginning with the letter “D”:

(1) **“Describe”** means to document in writing.

(2) **“Dismantle”** means the act of taking apart or removing any component, device, or piece of equipment that is bolted, screwed, or fastened by other means and which would not otherwise be taken apart or removed by a homeowner in the course of normal household maintenance.

E. Definitions beginning with the letter “E”:

(1) **“Engineering”** means the application of scientific knowledge for the design, control, or use of building structures, equipment, or apparatus.

(2) **“Engineering service”** means any professional service or creative work requiring engineering education, training and experience, and the application of special knowledge of the mathematical, physical and engineering sciences to such professional service or creative work as consultation, investigation, evaluation, planning, design and supervision of construction for the purpose of assuring compliance with the specifications and design, in conjunction with structures, buildings, machines, equipment, works or processes.

F. Definitions beginning with the letter “F”:

(1) **“Foundation”** means the base upon which a structure or wall rests, typically constituted by masonry, concrete, or stone, and typically located at least partially underground.

(2) **“Fuel burning appliance”** means any natural gas, LP gas, wood, coal, or other similar organic fuel burning device or appliance, including but not limited to fireplaces, whether masonry or factory built; fireplace inserts and stoves, woodstoves (room heaters), central furnaces, and combinations of said devices or appliances.

~~[(2)]~~ (3) **“Function”** means the action for which an item, component, or system is specially fitted or used, or for which an item, component, or system exists.

~~[(3)]~~ (4) **“Functional”** means the ability of an item, component, or system to perform its function.

~~[(4)]~~ (5) **“Functional drainage”** means the act or ability of a drain to empty in a reasonable amount of time without overflowing when another fixture is drained simultaneously.

~~[(5)]~~ (6) **“Functional flow”** means a reasonable flow at the highest fixture in a dwelling when another fixture is operated simultaneously.

~~[(6)]~~ (7) **“Further evaluation”** means examination and analysis by a qualified professional, tradesman, or service technician beyond that provided by a home inspection. Further evaluation may provide additional clarification, provide needed repairs, or discover additional adverse conditions that need modifications or repairs for the component or system to perform its normally intended function or operation provided by an appropriately licensed or qualified individual.

G. Definitions beginning with the letter “G”: **“Generally established practice”** means a practice of or pertaining to one or more of the following: the historically or conventionally applied and acknowledged methods of installation, assembly, and operation or use of residential systems and their related materials and components. Generally established practices may vary based on whether they were applicable at the time of construction or whether modifications to the property were made after the original construction.

H. Definitions beginning with the letter “H”:

(1) **“Home inspection”**, as defined by Subsection E of Section 61-24D-2 NMSA 1978, means a noninvasive, nondestructive examination by a person of the interior and exterior components of a residential real property, including the property's structural components, heating, foundation and roof, for the purposes of providing a professional written opinion regarding the site aspects and condition of the property and its attached or detached carports, garages and reasonably accessible installed components. “Home inspection” includes the examination of the property's heating, cooling, plumbing and electrical systems, including the operational condition of the systems' controls that are normally operated by a property owner.

(2) **“Home inspector”**, as defined by Subsection F of Section 61-24D-2 NMSA 1978, means a person who performs home inspections for compensation.

I. Definitions beginning with the letter “I”:

(1) **“Identify”** means to describe a specific system or component by its type and to distinguish it by characteristics such as general or specific materials, energy sources, etc., which differentiate that system of components from other similar systems and components.

(2) **“Inspected Property”** means the readily accessible areas of the buildings, site, items, components and systems included in the Home Inspection.

(3) **“Inter-NACHI examination”** means the examination offered, conducted, and proctored by the international association of certified home inspectors (Inter-NACHI).

J. Definitions beginning with the letter “J”: [RESERVED]

K. Definitions beginning with the letter “K”: [RESERVED]

L. Definitions beginning with the letter “L”:

(1) **“Licensure by [~~endorsement~~] credentials”** means the process by which an individual applicant applies for a license as a home inspector in New Mexico on the basis of the applicant’s pre-existing license in another jurisdiction.

(2) **“Licensure by training and examination”** means the process by which an individual applicant applies for a license in New Mexico as a home inspector on the basis of the applicant’s education, training, and passage of the national home inspector examination (NHIE) or the proctored Inter-NACHI examination.

(3) **“Licensure by experience and examination”** means the process by which an individual applicant applies for a license in New Mexico as a home inspector on the basis of the applicant’s previous work in New Mexico as a home inspector in each of the 24 months immediately preceding January 1, 2020, the applicant’s performance of at least 100 home inspections for compensation in the 24 months immediately preceding January 1, 2020, and the applicant’s passage of a national home inspector examination, whether the NHIE [~~or otherwise;~~] or the proctored Inter-NACHI examination.

M. Definitions beginning with the letter “M”: [RESERVED]

N. Definitions beginning with the letter “N”:

(1) **“National home inspector examination”** or **“NHIE”** means the examination offered, conducted, and proctored by the examination board of professional home inspectors (EBPHI); or the examination offered, conducted and proctored by the international association of certified home inspectors (Inter-NACHI.

(2) **“Normal operating controls”** means thermostats, switches, valves, and other devices intended by design and manufacture to be used by homeowners or occupants in the normal and regular day-to-day operation of systems or components.

(3) **“Normally intended function or operation”** means the customary or conventional purpose or use for which a system or component is installed and for which it is designed or intended by its manufacturer.

O. Definitions beginning with the letter “O”:

(1) **“On-site water supply quality”** means water quality based on the bacterial, chemical, mineral, and solids content of the water.

(2) **“On-site water supply quantity”** means the rate of flow of water.

P. Definitions beginning with the letter “P”:

(1) **“Permanently installed”** means an item, system, or component designed or intended to remain where originally placed, not easily moved, and which is attached, connected, or set in place for use so as to render moving or removing the item, system, or component impossible without the use of tools or equipment.

(2) **“Proctored examination”** means a test taken under the supervision of testing staff. The proctor’s function is to ensure procedural integrity and security of the examination in a secure environment. Examination passage must be in writing and written by the organization or entity that administered the examination.

(3) **“Professional liability insurance”** means [~~general liability insurance;~~] errors and omissions insurance.

Q. Definitions beginning with the letter “Q”: “Qualified” means having the training, skills, knowledge, expertise, competence and any special tools or equipment necessary to address adverse conditions and routine maintenance conditions and, where applicable, holding all required licenses and meeting all applicable industry standards and all governmental and statutory requirements.

R. Definitions beginning with the letter “R”:

(1) **“Reactivation”** means the process and board act of reactivating an inactive or expired license, thereby permitting the licensee to engage in the practice of home inspection.

(2) **“Readily accessible”** means visually observable and able to be examined without requiring destructive measures; without risk to the inspector or others; without risk of damage to any item of personal or real property; without requiring the inspector to move, remove, damage, or disturb any wall, floor, ceiling, or window coverings; or any interior or exterior claddings or finish treatments; to move, remove, damage, disturb, climb upon, climb over, or straddle any item of personal property; to move, remove, damage, or disturb any landscape elements; or to interrupt the business of occupants, and not requiring disassembly or the use of any special protective clothing or special tools or equipment.

(3) **“Readily openable access panel”** means a panel located within normal reach or from a four-foot stepladder, and which is not blocked by stored items, furniture, or building components, provided for homeowner inspection and maintenance that has removable or operable fasteners or latch devices in order to be lifted off, swung open, or otherwise removed by one person, and its edges and fasteners are not painted in place, but not including electrical panel board enclosure dead front covers.

(4) **“Residential recreational facilities”** means residential spas, saunas, steam baths, swimming pools, exercise, entertainment, athletic, playground and other similar equipment, and associated accessories that are installed at the inspected property.

(5) **“Reinstatement”** means the process and board act of reinstating a suspended or revoked license, thereby permitting the licensee to engage in the practice of home inspection either with or without future conditions.

(6) **“Representative number”** means all readily accessible identical components such as windows, electric switches and electric receptacles that serve as a typical or characteristic example of the items or components inspected. When one or a number of components or systems has identified “adverse conditions,” the report should indicate further evaluation of all identical components by qualified personnel.

(7) **“Roof drainage systems”** means gutters, downspouts, leaders, splash blocks, and similar components used to carry water off a roof and away from a building.

(8) **“Routine maintenance”** means typical, regular, ongoing, and expected maintenance that is part of an ongoing and prudent overall property and building systems upkeep program.

S. Definitions beginning with the letter “S”:

(1) **“Safety glazing”** means tempered glass, laminated glass, or rigid plastic.

(2) **“Shut down”** means a piece of equipment whose safety switch or circuit breaker is in the “off” position, or its fuse is missing or blown, or a system that cannot be operated by the device or control that a homeowner should normally use to operate it.

~~[(3) **“Solid fuel heating device”** means any wood, coal, or other similar organic fuel burning device, including but not limited to fireplaces, whether masonry or factory built, fireplace inserts and stoves, woodstoves (room heaters), central furnaces, and combinations of these devices;]~~

~~[(4) (3) **“Structural component”** means a component that supports non-variable forces or weights (dead loads) and variable forces or weights (live loads). For purposes of this definition, a dead load is the fixed weight of a structure or piece of equipment, such as a roof structure on bearing walls, and a live load is a moving variable weight added to the dead load or intrinsic weight of a structure.~~

~~[(5) (4) **“System”** means a permanently-installed group of interacting, interrelated, or interdependent components historically and conventionally designed and intended to perform one or more specific functions.~~

T. Definitions beginning with the letter “T”: **“Technically exhaustive”** means a comprehensive and detailed examination beyond the scope of a real estate home inspection that would involve or include, but would not be limited to: dismantling, specialized knowledge or training, special equipment, measurements, calculations, testing, research, analysis, or other means.

U. Definitions beginning with the letter “U”: [RESERVED]

V. Definitions beginning with the letter “V”: [RESERVED]

W. Definitions beginning with the letter “W”:

(1) **“Wall cladding”** means a protective or insulating layer fixed to the outside of a building such as aluminum, brick, EIFS, stone, stucco, vinyl, or wood.

(2) **“Wiring method”** means the identification of electrical conductors or wires by their general type, such as nonmetallic sheathed cable, armored cable, and knob and tube.

[16.66.1.7 NMAC – N, 1/15/2021; A, 1/14/2022]